

Analisis Asuhan Keperawatan Pada Pasien Gagal Jantung Dan Intervensi Perencanaan Pulang = Analysis of Nursing Care in Heart Failure Patients and Discharge Planning Interventions

, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20491697&lokasi=lokal>

Abstrak

ABSTRAK

Pelaksanaan perencanaan pulang pada pasien gagal jantung atau Congestive Heart Failure (CHF) belum optimal di Indonesia sementara perencanaan pulang pada pasien gagal jantung penting dilakukan secara optimal. CHF merupakan salah satu dari penyakit kardiovaskuler yang penting bagi kita diketahui penatalaksanaannya yang optimal karena perkembangan CHF progresif dengan angka mortalitas dan morbiditas tinggi. Perencanaan pulang yang dilakukan dengan optimal dapat meningkatkan kapasitas fungsional, penguatan psikologi pasien dan tidak adanya rawat inap berulang dalam 30 hari setelah pemberian perencanaan pulang. Studi kasus ini bertujuan untuk mendeskripsikan proses perencanaan pulang yang optimal pada Ny H yang dirawat selama 4 hari. Pemberian perencanaan pulang optimal yang dilakukan pada Ny H menghasilkan perbaikan hemodinamik, pasien menjadi lebih tenang dan kooperatif. Rekomendasi penulisan ini adalah agar perawat melakukan perencanaan pulang pada pasien CHF untuk mengoptimalkan perawatan pasien CHF selama dirawat.

<hr>

<i>ABSTRACT</i>

The implementation of Discharge Planning for heart failure patients or Congestive Heart Failure (CHF) is not optimal in Indonesia while Discharge Planning for patients with heart failure is important to do optimally. CHF is one of cardiovascular diseases which is important for us to know its optimal management because of the progressive development of CHF with high mortality and morbidity. Optimal Discharge Planning can improve functional capacity, strengthen patient psychology and avoid repeated hospitalizations within 30 days after giving Discharge Planning. This case study aims to describe the optimal Discharge Planning process for Ms. H who was treated for 4 days. Provision of optimal return planning carried out in Ny H results in improved hemodynamics, patients become more calm and cooperative. The recommendation of this paper is for nurses to do discharge planning for CHF patients to optimize the care of CHF patients during treatment.</i>