

# Asuhan Keperawatan Depresi pada Lansia melalui Intervensi Latihan Fisik berkelompok di Panti Sosial Tresna Werdha Jakarta = Nursing Care in Depressed Elderly through Physical Exercise Group Intervention at Tresna Werdha Social Institution (PSTW) Jakarta

Aritonang, Viona Maria, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20496773&lokasi=lokal>

---

## Abstrak

Lansia perkotaan mengalami beban sosial dan kesehatan akibat proses penuaan yang berujung pada keterlantaran. Salah satu institusi perawatan jangka panjang yaitu Panti Sosial Tresna Werdha (PSTW) menjadi tempat tinggal bagi lansia perkotaan yang terlantar. Transisi tempat tinggal dan perubahan fisiologis dan afektif lansia menyebabkan lansia rentan mengalami depresi. Kejadian depresi lansia ini seringkali tidak terdeteksi sehingga membutuhkan perhatian lebih dari perawat dan pihak PSTW.

Penulisan karya ilmiah ini bertujuan untuk menjelaskan asuhan keperawatan pada lansia dengan depresi selama 5 minggu di PSTW Budi Mulya 1 Ciracas, Jakarta Timur. Asuhan keperawatan yang dilakukan berupa intervensi latihan fisik selama 3x50 menit selama seminggu. Evaluasi akhir dengan menggunakan GDS-15 menunjukkan terjadi penurunan gejala depresi pada lansia.

<hr /><i>

Displaced urban elderly are vulnerable to psychosocial problems due to social, health and economic burdens. One of the long-term care institutions, the Tresna Werdha Social Institution (PSTW), becomes a residence for displaced urban elderly. Residence transition along with physiological and psychological and affective changes cause the elderly to be prone to suffer depression. The incidence of elderly depression is often undetectable and requires more attention from nurses and social institution parties.

The writing of this scientific paper aims to explain nursing care in depressed elderly for 5 weeks at PSTW Budi Mulya 1 Ciracas, East Jakarta. Nursing care carried out in the form of physical exercise intervention for 3x50 minutes during a week. The final evaluation by using GDS-15 indicateds a decrease in depressive symptoms in the elderly.