

Analisis asuhan keperawatan pada pasien acute decompensated heart failure dan intervensi pembatasan serta pemantauan cairan = Analysis of Nursing Care in Patient Acute Decompensated Heart Failure and Intervention of Fluid Restriction and Monitoring

Herlina Escana, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20497114&lokasi=lokal>

Abstrak

Pembatasan cairan sebagai salah satu intervensi pada pasien gagal jantung masih menjadi kontroversi terkait manfaat yang diperoleh. Karya ilmiah ini merupakan studi kasus yang dilakukan selama lima hari terhadap pasien gagal jantung akut dekomposisi di salah satu Rumah Sakit di Jakarta. Studi kasus ini bertujuan untuk mengetahui efektifitas pembatasan dan pemantauan cairan pada pasien gagal jantung yang mengalami kongesti. Hasil yang didapat yaitu terjadi penurunan berat badan, lingkaran perut, klinis kongesti dan persepsi rasa haus setelah dilakukan pembatasan dan pemantauan cairan. Karya ilmiah ini menyarankan bahwa pembatasan cairan perlu dilakukan pada pasien gagal jantung yang mengalami kongesti untuk mengurangi beban kerja jantung dan pemantauan cairan juga perlu dilakukan untuk meningkatkan kemampuan pasien dalam perawatan mandiri guna mencegah kejadian rawat inap berulang sehingga dapat terjadi peningkatan kualitas hidup pasien gagal jantung di area perkotaan.

<hr />

Analysis of Nursing Care in Patient Acute Decompensated Heart Failure and Intervention of Fluid Restriction and Monitoring. Fluid restriction is one of heart failure nursing intervention still controversy regarding the benefits of these interventions. This scientific paper is a case study conducted for five days on acute decompensated heart failure patients in a hospital in Jakarta. This case study aims to determine the effectiveness of fluid restriction and monitoring in congestive heart failure patients. The results showed there a decrease in body weight, abdominal circumference, clinical congestion and perception of thirst after restriction and monitoring of fluids. This scientific paper suggests that fluid restriction needs to be applied in heart failure patients who have congestion to reduce cardiac workload and fluid monitoring also needs to be done to improve the ability of patients in self-care to prevent rehospitalizations so there is an enhancement quality of life in heart failure patients in urban society