

Hubungan depresi dengan kualitas tidur pada lansia di Panti Sosial Tresna Werdha Budi Mulia 4 Cengkareng, Jakarta Barat = The relationship between depression and sleep quality among elderly at Panti Sosial Tresna Werdha Budi Mulia 4 Cengkareng, Jakarta Barat

Siti Fatimah Nur Illahiyah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20501506&lokasi=lokal>

Abstrak

Depresi merupakan masalah psikologis paling umum pada lansia yang dapat mengakibatkan kualitas tidur lansia terganggu. Penelitian ini bertujuan untuk mengetahui hubungan depresi dengan kualitas tidur pada lansia. Studi cross sectional dilakukan di Panti Sosial Tresna Werdha Budi Mulia 4 Cengkareng, Jakarta Barat. Penelitian ini menggunakan teknik total sampling dengan jumlah responden sebanyak 62 lansia. Instrumen yang digunakan ialah GDS (Geriatric Depression Scale) 15 pertanyaan untuk mengkaji depresi dan PSQI (Pittsburgh Sleep Quality Index) untuk menilai kualitas tidur. Hasil penelitian menunjukan 67.7% lansia mengalami depresi dan 62.9% lansia mengalami kualitas tidur buruk. Ada hubungan yang signifikan antara depresi dengan kualitas tidur ($p = 0.004$, OR 5.943). Lansia yang depresi memiliki peluang 5.943 kali untuk mengalami kualitas tidur yang buruk daripada lansia yang tidak depresi. Saran dari penelitian ini ialah perlunya peran perawat untuk melakukan screening kesehatan khususnya terkait depresi dan kualitas tidur pada seluruh lansia yang tinggal di panti..... Depression is the most common psychological problem among elderly which can result in disturbed sleep quality's elderly. This study purposes to determine the relationship between depression and sleep quality in the elderly. This cross-sectional study was done at Panti Sosial Tresna Werdha Budi Mulia 4 Cengkareng, Jakarta Barat. This research used total sampling method with 62 elderly as respondents. The instrument used was GDS (Geriatric Depression Scale) 15 questions to assess depression and PSQI (Pittsburgh Sleep Quality Index) to assess sleep quality. The results showed 67.7% of elderly experienced depression and 62.9% of elderly has poor sleep quality. The results of the study showed there are a significant relationship between depression and sleep quality ($p = 0.004$, OR 5.943). Elderly with depression were 5.943 time to have bad sleep quality than elderly without depression. The suggestions of this study that is need the role of nurses to do health screening specifically related to the depression and sleep quality problem in all elderly at nursing homes.