

Evaluasi implementasi PONEK dan kejadian kematian ibu hamil di RSUD Sultan Imanudin tahun 2018 = Evaluation of PONEK implementation and incidence of maternal mortality at Sultan Imanudin Regional Hospital in 2018 / Hartono Sriwandoko

Hartono Sriwandoko, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20502199&lokasi=lokal>

Abstrak

ABSTRAK

Latar Belakang : Kematian ibu hamil tahun 2018 di RSUD Sultan Imanudin Pangkalan Bun sebanyak 15 kasus kematian ibu hamil, dimana standar indikator mutu pelayanan PONEK RS adalah zero tolerance pada kematian ibu hamil. Kematian ibu hamil ini berkaitan dengan kinerja PONEK RS yang tidak optimal. Upaya memperbaiki kinerja PONEK di RS dilakukan dengan evaluasi implementasi PONEK yang dikaitkan dengan standar indikator mutu kinerja dan mutu pelayanan PONEK berdasarkan teori mutu pelayanan Donabedian. Penyelenggaraan dan keberhasilan PONEK perlu dilakukan monitoring dan evaluasi, sehingga dapat menjadi dasar untuk pengembangan dan peningkatan mutu pelayanan PONEK. Harapannya dengan pencapaian standar mutu kinerja dan pelayanan PONEK yang optimal dapat dimanfaatkan untuk menurunkan kejadian kematian ibu hamil.

Tujuan : Evaluasi implementasi PONEK dan kejadian kematian ibu hamil di RSUD Sultan Imanudin tahun 2018.

Metode : Cros sectional study, yakni dengan menggunakan data sekunder dari rekam medis pasien dan dokumen PONEK RS, mulai Januari - Desember 2018. Pengambilan sampel dilakukan secara total sampling. Evaluasi implementasi PONEK dilakukan untuk mengetahui mutu kinerja dan mutu pelayanan PONEK dilakukan dengan analisis quality of care Donabedian. Hasil implementasi PONEK di analisis dengan Failure Mode Effect Analysis (FMEA) untuk melihat faktor utama dari kelemahan sistem PONEK. Analisis kinerja juga dilakukan dengan alat bantu elemen penilaian SNARS edisi 1.

Hasil : Waktu tanggap kamar bedah (rpn=392), waktu tanggap kamar bersalin (rpn=343) dan waktu tanggap pelayanan darah cito (rpn=294) sebagai faktor utama penyebab kegagalan sistem PONEK dengan risk priority number sangat tinggi dan sebagai prediktor kuat yang berkaitan dengan kematian ibu hamil. Analisis kinerja pelayanan PONEK menurut standar elemen penilaian SNARS edisi 1 menunjukkan adanya pemenuhan sebesar 76,92 %.

Kesimpulan : Implementasi PONEK RSUD Sultan Imanudin tidak konsisten menjalankan perannya sebagai RS rujukan yang mampu PONEK karena tidak sesuai dengan indikator mutu pelayanan PONEK yaitu zero tolerance terhadap kematian ibu hamil. Mutu kinerja pelayanan PONEK RSUD Sultan Imanudin tidak optimal disebabkan pemenuhan kinerja PONEK hanya mencapai 76,92 %. Mutu penyelenggaraan kinerja pelayanan PONEK yang tidak optimal karena masih ditemukan kelemahan kinerja PONEK yang tidak memenuhi standar mutu kinerja pelayanan PONEK. Faktor-faktor utama penyebab kelemahan PONEK

berdasarkan analisis FMEA yang mempunyai risk priority number tinggi adalah waktu tanggap kamar bedah dan kamar bersalin lebih dari 30 menit, waktu tanggap pelayanan darah cito lebih dari 60 menit dan AMP internal RSUD hampir tidak pernah dilakukan.

<hr />

**ABSTRACT
**

Background : Pregnant women died in 2018 at Sultan Imanudin Pangkalan Bun Regional Hospital as many as 15 cases of maternal mortality, where the standard indicator for quality of PONEK Hospital services was zero tolerance for maternal mortality. The death of pregnant women is related to the non-optimal performance of the PONEK Hospital. Efforts to improve the performance of PONEK in hospitals are carried out by evaluating the implementation of PONEK that is associated with the performance quality standard indicators and PONEK service quality based on Donabedian service quality theory. The implementation and success of PONEK need to be monitored and evaluated, so that it can be the basis for the development and improvement of the quality of PONEK services. It is hoped that by achieving optimal quality standards of performance and PONEK services it can be utilized to reduce the incidence of maternal mortality.

Objective : Evaluation of the implementation of PONEK and the incidence of maternal mortality in Sultan Imanudin Regional Hospital in 2018.

Method : Cros sectional study, using secondary data from patient medical records and PONEK hospital documents, from January to December 2018. Sampling was done in total sampling. Evaluation of the implementation of PONEK is carried out to determine the quality of performance and the quality of PONEK services is carried out by analyzing the quality of care Donabedian. The results of the PONEK implementation are analyzed with the Failure Mode Effect Analysis (FMEA) to see the main factors of the weaknesses of the PONEK system. Performance analysis was also carried out with the SNARS assessment element 1 edition.

Results : Operating room response time ($rpn = 392$), delivery room response time ($rpn = 343$) and cito blood service response time ($rpn = 294$) as the main factors causing PONEK system failure with very high risk priority number and as a strong predictor related to death of pregnant women. An analysis of the performance of PONEK services according to the SNARS assessment element standard edition 1 shows the fulfillment of 76.92%.

Conclusion : The implementation of PONEK Sultan Imanudin Regional Hospital is inconsistent in carrying out its role as a referral hospital that is capable of PONEK because it is not in accordance with the PONEK service quality indicators, namely zero tolerance for maternal mortality. The quality of PONEK Sultan Imanudin Hospital services performance is not optimal due to the fulfillment of PONEK performance only reaching 76.92%. Quality of carrying out PONEK service performance is not optimal because there are still weaknesses in PONEK performance that does not meet PONEK service quality service standards. The main factors causing PONEK weakness based on FMEA analysis which has a high risk priority number are the operating room and delivery room response time is more than 30 minutes, cito blood service response time is more than 60 minutes and internal RSUD AMP is almost never.