

# Faktor-Faktor yang Berhubungan dengan Kejadian Demam Berdarah Dengue (DBD) di Dua Kecamatan Kabupaten Purbalingga Tahun 2019 = Factors Associated with The Incidence of Dengue Hemorrhagic Fever (DHF) in Two Subdistricts of Purbalingga Regency in 2019

Bekti Aribawanti Rini, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20505793&lokasi=lokal>

---

## Abstrak

Kabupaten Purbalingga adalah salah satu daerah endemis penyakit DBD di Indonesia. Peningkatan kasus hamper 3 kali lipat pada bulan Januari-Juni 2019 dibandingkan dengan jumlah kasus yang terjadi pada tahun 2018. Penelitian ini bertujuan untuk mengetahui hubungan antara faktor karakteristik individu, faktor perilaku, faktor lingkungan rumah, dan faktor program DBD. Penelitian ini menggunakan desain studi kasus kontrol. Pengumpulan data menggunakan kuesioner melalui wawancara dan observasi. Total sampel sebanyak 408 responden dari dua kecamatan dengan kasus tertinggi. Analisis data menggunakan analisis univariat, bivariat (chi square), dan analisis multivariat (Regresi Logistik).

Hasil penelitian menunjukkan bahwa variabel yang berhubungan dengan Kejadian DBD di Kabupaten Purbalingga adalah umur: 6-18 tahun (OR: 3,75; 95% CI: 1,91-7,36), 5 tahun (OR: 2,55; 95% CI: 0,94-6,89), 19-45 tahun (OR: 2,23; 95% CI: 1,27-3,94), kebiasaan menguras TPA (OR: 2,13; 95% CI: 1,34-3,39), kebiasaan menggantung pakaian (OR: 1,87; 95% CI: 1,06-3,31), keberadaan tanaman hias (OR: 9,22; 95% CI: 2,54-33,50), keberadaan barang bekas (OR: 1,63; 95% CI: 1,03-2,58), penggunaan kassa nyamuk pada ventilasi (OR: 12,35; 95% CI: 3,34-45,74), dan pencahayaan (OR: 1,75; 95% CI: 1,07-2,87). Bagi Dinas Kesehatan diharapkan dapat mengintensifkan penyuluhan tentang DBD dan meningkatkan kerjasama lintas sektor dalam mendukung pelaksanaan 3M Plus sehingga dapat dilakukan oleh seluruh lapisan masyarakat. Bagi Masyarakat diharapkan dapat melaksanakan PSN 3M Plus secara mandiri salah satunya melalui pelaksanaan Gerakan 1 Rumah 1 Jumantik (G1R1J).

.....Purbalingga Regency is one of the endemic area of DHF in Indonesia. The increase of DHF cases in Purbalingga Regency in January-June 2019 almost tripled compared to the number of cases in 2018. This study is necessary to conduct research on individual characteristic factors, behaviour factors, household environmental factors, and DHF program factors associated with the incidence of DHF in Purbalingga Regency. It used a case control study design. The data were collected using questionnaires through interviews and observations. The total sample of 408 respondents was taken from two subdistricts with the highest cases. Univariate, bivariate (chi-square), and multivariate (Logistic Regression) analysis were employed in this study.

The results of the study indicate that the factors associated with the incidence of DHF in Purbalingga Regency in 2019 were the age: 6-18 year (OR: 3,75; 95% CI: 1,91-7,36), 5 year (OR: 2,55; 95% CI: 0,94-6,89), 19-45 year (OR: 2,23; 95% CI: 1,27-3,94), habit of drain the water supply containers (OR: 2,13; 95% CI: 1,34-3,39), habit of hanging clothes (OR: 1,87; 95% CI: 1,06-3,31), the availability of ornamental plants (OR: 9,22; 95% CI: 2,54-33,50), the presence of discarded trash (OR: 1,63; 95% CI: 1,03-2,58), the availability of mosquito gauze (OR: 12,35; 95% CI: 3,34-45,74), and the lighting (OR: 1,75; 95% CI: 1,07-2,87).

The Health Office is expected to intensify promoting about DHF and to increase the inter-related sectors in

supporting the implementation of the mosquito nest eradication (PSN) 3M Plus so that it can be carried out by all levels of society. The community is expected to be able to implement PSN 3M Plus independently, one of which is through the implementation of the "Gerakan 1 Rumah 1 Jumantik (G1R1J)".