

Faktor yang Berhubungan dengan Frekuensi Konsumsi Boba Drinks pada Mahasiswa S1 Reguler Fakultas Kesehatan Masyarakat Universitas Indonesia Tahun 2020 = Factors Associated with Boba Drinks Consumption Frequencies among Undergraduate University Students in Public Health Faculty Universitas Indonesia 2020

Rani Berlian Aderisa, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20506694&lokasi=lokal>

Abstrak

Konsumsi sugar sweetened beverages secara rutin dapat menyebabkan terjadinya obesitas, diabetes, penyakit kronis, dan kematian dini. Di Indonesia terjadi peningkatan perkembangan industri sugar sweetened beverages secara khusus untuk jenis minuman boba drinks yang mengalami peningkatan pemesanan sampai lebih dari 8.500% pada tahun 2018. Tujuan dilakukannya penelitian adalah untuk melihat gambaran frekuensi konsumsi boba drinks dan menganalisis faktor yang berhubungan khususnya pada remaja akhir. Penelitian ini merupakan penelitian kuantitatif dengan menggunakan desain studi cross sectional. Data penelitian dikumpulkan secara primer pada bulan Mei hingga Juni tahun 2020 pada Mahasiswa FKM UI, Depok, Jawa Barat dengan jumlah responden 262 orang. Data yang terkumpul dianalisis secara univariat dan bivariat menggunakan uji chi-square dengan bantuan perangkat lunak IBM SPSS Statistics 20. Hasil penelitian menemukan adanya hubungan signifikan antara konsumsi boba drinks dengan aksesibilitas online, pengetahuan terkait sugar sweetened beverages, sikap terhadap sugar sweetened beverages, pengaruh teman, dan pengaruh keluarga namun belum dapat menunjukkan hubungan signifikan antara konsumsi boba drinks dengan jenis kelamin, pengeluaran untuk konsumsi, aksesibilitas langsung, pengaruh media massa, dan status gizi. Hasil penelitian menyarankan dilakukannya edukasi gizi serta penyediaan informasi gizi jajanan yang tersedia di lingkungan FKM UI. Peneliti juga menyarankan dilakukannya kampanye gizi yang melibatkan mahasiswa secara langsung.

<hr>

Regular consumption of sugar sweetened beverages contribute to the development of obesity, diabetes, chronic disease, and early death. In Indonesia, the sugar sweetened beverages industry has been developing drastically, especially for boba drinks which sales increase for more than 8.500% on 2018. The purpose of this study is to see the consumption pattern of boba drinks and associated factors especially on late adolescent. This study is a quantitative study using cross-sectional design. The data for this study was collected from May until June, 2020 on Student of Public Health Faculty, Universitas Indonesia, Depok, West Java with 262 sample. The data was statistically analyzed in univariate and bivariate with the help of IBM SPSS Statistics 20 software. This study found a significant relation between boba drinks consumption with online accessibility, knowledge regarding sugar sweetened beverages, attitude towards sugar sweetened bevarages, friends/peers influence, and family influence but canât find any significant relation between boba drinks consumption with sex, food expenses, direct accessibility, mass media influence, and nutritional status. The result from this study suggests to hold nutrition education and providing nutritional information for snacks sold around Public Health Faculty Universitas Indonesia. Researcher also suggests to hold a nutrition campaign involving students.</i>