

Sintesis dan karakterisasi nanokomposit MgFe₂O₄ dan MgFe₂O₄/NGP untuk degradasi limbah pewarna methylene blue melalui proses photocatalytic = Synthesize and characterization of nanocomposite MgFe₂O₄ and MgFe₂O₄/NGP for methylene blue degradation by photocatalytic process.

Daffa Aulia Ekanara, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20508560&lokasi=lokal>

Abstrak

Pada studi ini, saya menggunakan metode fotokatalitik untuk mendegradasi limbah cat pewarna organik dalam limbah air menggunakan MgFe₂O₄ dan MgFe₂O₄-nanographene (MgFe₂O₄/NGP) nanopartikel. MgFe₂O₄ dan MgFe₂O₄/NGP (mengandung persentase NGP yang bervariasi) disintesis melalui metode hidrotermal. Kedua bahan ini digunakan sebagai katalis dalam proses fotokatalitik mendegradasi limbah organic Methylene-Blue dalam solusi cair, dibawah radiasi cahaya merah. Karakteristik dari sample (MgFe₂O₄ & MgFe₂O₄/NGP) dilakukan menggunakan X-ray Diffraction, Raman Spectroscopy, UVVIS Spectroscopy, XRF, TGA, BJH, XPS, TEM, HRTEM, SAED, EDX dan BET. Hasil dari penelitian ini menunjukkan bahwa MgFe₂O₄/NGP mempunyai kemampuan fotokatalitik yang lebih baik dibandingkan dengan MgFe₂O₄. Efek dari konsentrasi NGP (wt%) untuk mendegradasi MB didiskusikan. Spesies aktif dalam proses fotokatalitik juga dipelajari melalui scavenger test.

<hr>

In the current study, we use the photodegradation method for the removal of organic dye molecule in wastewater using MgFe₂O₄ and MgFe₂O₄-nanographene platelets (MgFe₂O₄/NGP) nanoparticles. MgFe₂O₄ and MgFe₂O₄/NGP (containing various amounts of NGP) were synthesized using the hydrothermal method. Both of them used as a catalyst for photocatalytic degradation of methylene blue (MB), i.e. our organic dye in aqueous solution under red light irradiation. Characteristics of our samples (MgFe₂O₄ & MgFe₂O₄/NGP) were characterized using X-ray diffraction, Raman Spectroscopy, UVVIS Spectroscopy, XRF, TGA, BJH, XPS, TEM, HRTEM, SAED, EDX, and BET. The result of our work showed that MgFe₂O₄/NGP mostly have a better photocatalytic performance compared to pure MgFe₂O₄. The effect of NGP concentration (wt%) on the photocatalytic degradation of MB was discussed. Active species who'd take effect on the photocatalytic process was also studied by the scavenger test.