

Aplikasi Teori Need For Help Wiedenbach dan Konsep Adaptasi Roy pada ibu perdarahan postpartum fase pemulihan = The Application Theory Need for help wiedenbach and Adaptation Roy Concept on postpartum hemorrhage at recovery stage

Ratnawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20508908&lokasi=lokal>

Abstrak

Perdarahan postpartum merupakan salah satu situasi kegawatan maternal yang membutuhkan penanganan segera. Penanganan kegawatan diprioritaskan untuk mencegah syok hipovolemia yang mengancam jiwa. Setelah stabil, klien akan mendapat perawatan lanjutan untuk pemulihan. Di masa pemulihan, klien masih membutuhkan bantuan untuk mengatasi gangguan yang masih muncul, merawat diri, dan mempersiapkan diri untuk memulai peran barunya. Penerapan integrasi model keperawatan Need For Help Wiedenbach dan Konsep Adaptasi Roy merupakan format pengkajian yang sesuai untuk kondisi pada lima kasus yang dikelola Residen. Residen mengaplikasikan Evidence-Based Practice Nursing (EBPN) dalam perawatan klien perdarahan postpartum fase pemulihan. EBPN yang digunakan bertujuan untuk mengatasi kecemasan klien akibat trauma dan hospitalisasi. EBPN yang digunakan sebagai intervensi keperawatan adalah teknik afirmasi positif. Teknik Afirmasi positif dalam pengelolaan lima kasus kelolaan berpengaruh signifikan dalam menurunkan nilai kecemasan klien. Teknik afirmasi efektif untuk membantu klien menghadapi masalah psikologis pasca perdarahan postpartum yang menimbulkan stres dan trauma. Perawat yang bertugas mengelola klien-klien dengan perdarahan postpartum fase pemulihan dapat menggunakan integrasi model keperawatan sebagai acuan bagi perawatan kliennya. Perawat maternitas juga dapat menggunakan teknik afirmasi positif untuk menurunkan tingkat kecemasan pada klien-klien dengan gangguan perdarahan postpartum.

.....Postpartum hemorrhage is one of the maternal emergencies which need immediate treatment. The emergency management is prioritized to avoid hypovolemic shock which can be life threatening. Once stable, clients will receive further treatment for recovery. During the recovery period, clients still need help to overcome problems that still occur, to take care of themselves, and to prepare to start their new roles. The application of Needs Help Wiedenbach nursing model integration and Roy's Adaptation Concept is an assessment format that is suitable for the conditions of the five cases managed by the Resident. Resident applies EvidenceBased Practice Nursing (EBPN) in the treatment of postpartum hemorrhage clients in the recovery phase. EBPN is used to treat clients' anxiety caused by trauma and hospitalization. The use of EBPN as a nursing intervention is a positive affirmation technique. Positive affirmation technique in the five managed cases management significantly affects in reducing clients' anxiety. The affirmation technique is effective to help clients to face psychological issues after

postpartum hemorrhage which causes stress and trauma. Nurses who are in charge of supporting clients with postpartum hemorrhage in the recovery phase can use the nursing model integration as a reference for treatment for their patients. Maternity nurses can use positive affirmation techniques as well to reduce anxiety levels of clients with postpartum hemorrhage disorders.