

Determinan Faktor Kejadian Diare Pada Balita 6-59 Bulan di Kecamatan Babakan Madang Kabupaten Bogor Tahun 2019 =
Determinants of Factors for Diarrhea Occurrence in Children 6-59 Months in Babakan Madang District, Bogor Regency in 2019

Sri Yuliastini, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20511270&lokasi=lokal>

Abstrak

<p>Penelitian ini bertujuan untuk mengetahui determinan faktor kejadian diare pada balita 6-59 bulan di Kecamatan Babakan Madang tahun 2019. Desain penelitian adalah cross sectional. Metode pengambilan sampel yaitu cluster random sampling, diperoleh 612 balita. Pengumpulan data dilakukan bulan Mei-Agustus 2019, dengan mengukur berat badan dan panjang badan balita serta wawancara terstruktur kepada ibu balita menggunakan kuesioner. Hasil penelitian diketahui 22,5% balita mengalami diare pada 1 minggu, 2 minggu, 1 bulan dan 3 bulan terakhir sebelum wawancara dilakukan. Faktor dominan terjadinya diare pada balita 6-59 bulan di Kecamatan Babakan Madang tahun 2019 adalah sumber air bersih untuk minum setelah dikontrol variabel usia ibu, menyimpan MP-ASI sisa, potong kuku balita, air bersih untuk masak dan mencuci peralatan makan balita. Perlu diupayakan infrastruktur untuk memenuhi kebutuhan air minum bagi masyarakat berpenghasilan rendah, penyehatan lingkungan dengan penyuluhan tentang bahaya diare dan cara pencegahannya.</p><hr /><p>This study aims to determine the determinants incidence of diarrhea in infants 6-59 months in Babakan Madang District in 2019. Study design was cross sectional. Sampling method was purposive sampling, obtained 612 toddlers. Data collection in May August 2019, by measuring the weight and length of infants, structured interviews with toddler mothers using questionnaire. The results of the study found that 22.5% of children under five had diarrhea at 1 week, 2 weeks, 1 month and the last 3 months before the interview. Dominant factor in the occurrence of diarrhea in infants 6-59 months in Babakan Madang Sub-district in 2019 was the source of clean water for drinking after being controlled by the mother's age variable, storing leftover complementary feeding, cutting toddler's nails, clean water for cooking and washing toddler's tableware. Infrastructure needs to be sought to meet drinking water needs for low-income people, environmental health through counseling about the dangers of diarrhea and how to prevent it.</p>