

# Pengaruh Perceived Stigma Terhadap Kepatuhan Pengobatan Antiretroviral (ARV) pada Orang dengan HIV (ODHIV) : Peran Perceived Social Support dan Self-Efficacy Sebagai Mediator = Perceived Stigma and The Adherence to AntiretroviralMedication Among People Living with HIV (PLWHIV) : The Role of Perceived Social Support and Self- Efficacy as Mediators

Josephine Indah Setyawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20513848&lokasi=lokal>

---

## Abstrak

Infeksi Human Immunodeficiency Virus (HIV) merupakan kondisi medis kronis yang tidak dapat disembuhkan, tetapi dapat ditekan virusnya dengan terapi obat Antiretroviral (ARV) . Obat ini harus diminum seumur hidup dengan tingkat kepatuhan 95% agar virus dapat ditekan dengan optimal. Akan tetapi banyak faktor yang memengaruhi kepatuhan pengobatan ini, salah satunya yaitu adanya perceived stigma, adanya kekhawatiran bahwa dirinya mendapatkan stigma dari lingkungan. Berbagai penelitian selanjutnya menjelaskan bahwa perceived stigma ini membuat mereka menjadi tertutup dan tidak mendapatkan akses dukungan sosial yang dibutuhkan, sehingga perceived social support menjadi menurun, dan selanjutnya berpengaruh pada pembentukan self-efficacy, faktor intrapersonal yang krusial untuk mendorong kepatuhan pengobatan. Melihat bahwa stigma HIV masih sangat kuat di masyarakat, maka penelitian ini penting untuk dilakukan, untuk melihat bagaimana perceived stigma berpengaruh pada kepatuhan pengobatan ARV, dengan menguji peran perceived social support dan self-efficacy sebagai mediator. Terdapat 100 ODHIV dari Jabodetabek yang berpartisipasi dalam penelitian ini. Data diperoleh melalui kuesioner daring lalu dianalisis menggunakan analisis serial mediation. Hasilnya menunjukkan bahwa perceived social support dan self-efficacy tidak memberikan indirect effect dalam hubungan antara perceived stigma dan kepatuhan pengobatan ARV ketika dilakukan serial mediation, dan ditemukan bahwa self-efficacy secara konsisten memprediksi kepatuhan pengobatan ARV. Hasil penelitian dan limitasi dari penelitian ini akan dibahas lebih lanjut pada bagian diskusi penelitian

.....Human Immunodeficiency Virus (HIV) infection is a chronic medical condition that cannot be cured, but the virus can be suppressed with antiretroviral therapy (ARV). ARV must be taken for life with an adherence level of 95% to make the virus suppressed optimally. However, many factors influence adherence to this treatment, one of which is the perceived stigma. Previous studies found that perceived stigma became a barrier to disclosure and does not get adequate social support needed, so that perceived social support decreases, and then affects the development of self-efficacy, the crucial intrapersonal factor to medication adherence. Based on the phenomena that HIV stigma is still very strong in society, this research is important to do, to see how perceived stigma affects ARV medication adherence, by examining the role of perceived social support and self-efficacy as mediators. There were 100 PLHIV from Jabodetabek who participated in this study. Data obtained through online questionnaires and then analyzed using serial mediation analysis. The results showed that perceived social support and self-efficacy did not provide a significant indirect effect in the relationship between perceived stigma and adherence to ARV through serial mediation, and self-efficacy was found to consistently predicted ARV treatment adherence. The research results and limitations of this study will be discussed further in the research discussion section