

Hubungan Kadar Kolesterol Tinggi (Hiperkolesterol) Dengan Kejadian Hipertensi Derajat 1 Pada Pekerja di Bandara Soekarno Hatta Tahun 2017 = The Relationship of High Cholesterol Levels (Hypercholesterolaemia) with Incidence of Hypertension Stage 1 in Employee at Soekarno Hatta Airport 2017

Leonita Suci Mulyati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20514183&lokasi=lokal>

Abstrak

Angka prevalensi hipertensi terus meningkat di dunia. Berdasarkan data Riskesdas 2018, prevalensi hipertensi di Indonesia cukup tinggi yaitu sebesar 34,1%. Salah satu faktor risiko hipertensi yang dapat dirubah adalah hiperkolesterol. Hasil skrining pemeriksaan kesehatan para pekerja di Bandara Soekarno Hatta menunjukkan angka kasus hiperkolesterol yang cukup tinggi. Tujuan penelitian ini adalah untuk mengetahui besar asosiasi antara hiperkolesterol dengan kejadian hipertensi derajat 1 pada pekerja di Bandara Soekarno Hatta. Penelitian ini menggunakan desain studi cross-sectional dari data sekunder kegiatan Posbindu PTM Kantor Kesehatan Pelabuhan Soekarno Hatta tahun 2017. Subyek penelitian adalah pekerja di instansi pemerintah dan BUMN di wilayah Bandara Soekarno Hatta yang melakukan pemeriksaan kesehatan di Posbindu PTM pada tahun 2017 yaitu sebanyak 411 orang. Penelitian ini menggunakan analisis multivariat cox regression dan besar pengaruh dinyatakan dalam prevalensi rasio (PR). Hasil menunjukkan bahwa prevalensi kejadian hipertensi derajat 1 pada pekerja yang hiperkolesterol sebesar 28,4%. Kadar kolesterol tinggi berisiko sebesar 1,19 (95% CI: 0,73-1,96) untuk dapat mengalami hipertensi derajat 1. Mengoptimalkan kegiatan Posbindu PTM di tempat kerja diharapkan dapat mengendalikan hiperkolesterol dan hipertensi.

.....The prevalence of hypertension continues to increase in the world. Based on Riskesdas 2018, the prevalence of hypertension in Indonesia is quite high at 34,1%. One of the risk factor for hypertension that can be changed is hypercholesterolemia. The results of health examinations screening of employees at Soekarno Hatta Airport in 2017 showed a high rate of hypercholesterolemia. The purpose of this study was to determine the magnitude of the association between hypercholesterolemia and the incidence of first stage hypertension in employees at Soekarno Hatta Airport. This study used a cross sectional design from secondary data on Posbindu PTM activities in the Soekarno Hatta Port Health Office in 2017. The research subjects were employees in government agencies and BUMN at Soekarno Hatta Airport who conducted health checks at Posbindu PTM in 2017, totaling 411 people. This study uses multivariate cox regression analysis and the magnitude of the effect was expressed in the prevalence ratio (PR). The results showed that the prevalence of stage 1 hypertension in employees with hypercholesterolemia was 28,4%. High cholesterol levels have a risk of 1,19 (95% CI: 0,73-1,96) to cause stage 1 hypertension. Optimizing Posbindu PTM activities in the workplace is expected to control hypercholesterolemia and hypertension