

# Penerapan Terapi Hortikultura dengan Pendekatan Self-Management untuk Menurunkan Tanda dan Gejala pada Pasien dengan Gangguan Persepsi Sensori: Halusinasi Pendengaran = Application of Horticultural Therapy with a Self-Management Approach to Reducing Signs and Symptoms in Patients with Sensory Perception Disorders: Auditory Hallucinations

Syifa Anggia Pramesti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20518228&lokasi=lokal>

---

## Abstrak

Skizofrenia merupakan salah satu gangguan jiwa yang ditandai dengan gangguan dalam berpikir, persepsi, emosi, bahasa, dan perilaku. Skizofrenia ini dapat disertai dengan gejala psikotik berupa halusinasi. Halusinasi pendengaran menjadi halusinasi yang paling umum terjadi pada pasien dengan skizofrenia. Tujuan karya ilmiah ini adalah untuk memberikan gambaran mengenai penerapan terapi hortikultura dengan pendekatan self-management pada pasien dengan halusinasi pendengaran. Penerapan terapi hortikultura dengan pendekatan self-management ini memberikan dampak pada penurunan tanda dan gejala halusinasi pasien. Rekomendasi dari karya ilmiah ini adalah perawat perlu mengidentifikasi waktu yang dibutuhkan dalam terapi hortikultura dengan lama rawat pasien, sehingga intervensi yang diberikan dapat lebih efektif dalam menurunkan tanda dan gejala halusinasi pendengaran pada pasien.

.....Schizophrenia is a mental disorder characterized by disturbances in thinking, perception, emotion, language, and behavior. Schizophrenia can be accompanied by psychotic symptoms in the form of hallucinations. Auditory hallucinations are the most common hallucinations in patients with schizophrenia. The purpose of this scientific work is to provide an overview of the application of horticultural therapy with a self-management approach in patients with auditory hallucinations. The application of horticultural therapy with a self-management approach has an impact on reducing the patient's hallucination signs and symptoms. The recommendation from this scientific work is that nurses need to identify the time needed in horticultural therapy with the length of the patient's stay so that the interventions provided can be more effective in reducing signs and symptoms of auditory hallucinations in patients.