

Hubungan tingkat stres kerja dengan burnout syndrome pada perawat di rumah sakit rujukan covid-19 = The correlation between work stress levels and burnout syndrome in nurses at covid-19 referral hospitals

Dyah Tri Handayani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20519256&lokasi=lokal>

Abstrak

Stres kerja merupakan reaksi negatif dari seseorang terhadap tekanan yang dibebankan kepada mereka dari adanya tuntutan, hambatan atau peluang. Burnout syndrome adalah proses yang disebabkan oleh stres pekerjaan yang tidak teratasi sehingga menyebabkan kelelahan emosi, perubahan kepribadian serta penurunan pencapaian pribadi. Penelitian ini bertujuan untuk mendapatkan gambaran mengenai hubungan antara tingkat stres kerja dengan Burnout Syndrome juga dapat menjadi pedoman untuk meningkatkan kesehatan jiwa tenaga keperawatan. Metode penelitian menggunakan metode Cross Sectional kepada 165 perawat di RSUD Jati Padang dan Rumah Sakit Fatmawati. Pengukuran tingkat stres kerja dengan menggunakan kuesioner OSI-R (Occupational Stress Inventory-Revised) dan Burnout Syndrome diukur dengan kuesioner MBI-HSS (Maslach Burnout Inventory-Human Service Survey). Hasil penelitian menunjukkan bahwa sebagian besar perawat termasuk dalam tingkat stress kerja sedang dan Burnout Syndrome sedang. Uji korelasi antara tingkat stres kerja dengan Burnout Syndrome diukur menggunakan uji Chi Square menunjukkan bahwa terdapat hubungan yang signifikan ($p < 0,001$). Hasil ini menunjukkan bahwa jika tingkat stres kerja semakin tinggi, maka perawat mengalami burnout syndrome tinggi juga, begitu pula sebaliknya. Peneliti selanjutnya dapat menganalisa setiap komponen stres kerja dan Burnout Syndrome, serta mengidentifikasi faktor-faktor yang dapat mempengaruhi stres kerja dan juga Burnout Syndrome.

.....Job stress is a negative reaction from a person to the pressure imposed on them from demands, obstacles, or opportunities. Burnout syndrome is a process caused by unresolved work stress that causes emotional exhaustion, personality changes, and decreased personal achievement. This study aims to obtain an overview of the relationship between work stress levels and Burnout Syndrome which can also be a guide for improving the mental health of nursing staff. The research method used the Cross-Sectional method to 165 nurses at Jati Padang Hospital and Fatmawati Hospital. Measurement of work stress level using the OSI-R (Occupational Stress Inventory-Revised) questionnaire and Burnout Syndrome measured by the MBI-HSS (Maslach Burnout Inventory-Human Service Survey) questionnaire. The results showed that most of the nurses included in the level of moderate work stress and moderate Burnout Syndrome. The correlation test between the level of work stress and Burnout Syndrome measured using the Chi-Square test showed that there was a significant relationship ($p < 0.001$). These results indicate that if the level of work stress is higher, then nurses experience high burnout syndrome as well, and vice versa. The next researcher can analyze each component of work stress and Burnout Syndrome, and identify the factors that cause.