

Analisis Asuhan Keperawatan pada Pasien dengan Suspek Limfoma dan Space Occupying Lesion (SOL) Kanalis Metastasis = Analysis of Nursing Care in Patients with Suspected Lymphoma and Space Occupying Lesion (SOL) Metastatic Canal

Hanny Aurelya Artha Mevia, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20521883&lokasi=lokal>

Abstrak

Limfoma merupakan jenis keganasan jaringan limfoid sebagai bentuk tumor padat pada jaringan limfoid yang dapat menyebar secara metastasis ke organ lain dan menyebabkan sebuah lesi yang menempati ruang (Space Occupying Lesion/SOL). Lesi yang timbul pada tulang belakang dapat menimbulkan masalah nyeri dan neurologis akibat kompresi saraf tulang belakang. Manifestasi yang timbul tergantung pada tempat kompresi tumor di saraf tulang belakang. Hasil penelitian menunjukkan bahwa asal tumor tulang belakang yang paling umum adalah limfoma sebanyak 7,4% dari keseluruhan kasus tumor metastasis ke tulang belakang. Tujuan penulisan karya ilmiah akhir ners ini adalah untuk menganalisis pemberian asuhan keperawatan kolaborasi pemberian terapi Obat Anti Inflamasi Non Steroid (OAINS) dengan kombinasi teknik relaksasi napas dalam untuk mengatasi nyeri, masase abdomen dan pemberian minum air putih hangat sebagai manajemen konstipasi, dan latihan rentang gerak aktif-pasif pada pasien tirah baring. Hasil dari karya ilmiah ini menunjukkan keefektifan pemberian OAINS dengan kombinasi teknik relaksasi napas dalam dalam penurunan skala nyeri menggunakan Numeric Rating Scale (NRS). Pemberian masase abdomen dan minum air hangat sebagai manajemen konstipasi dapat merangsang peristaltik usus. Latihan rentang gerak aktif-pasif pada pasien dengan tirah baring dapat memelihara tonus otot dan dapat dilakukan secara mandiri oleh pasien serta caregiver. Kata kunci: Lesi, Limfoma, Metastasis, Sumsu Tulang Belakang

.....Lymphoma is a type of lymphoid tissue malignancy as a form of solid tumor in lymphoid tissue that can spread metastases to other organs and cause a space-occupying lesion (SOL). Lesions that arise in the spine can cause pain and neurological problems due to spinal nerve compression. Manifestations that arise depending on the site of compression of the tumor in the spinal cord. The results showed that the most common origin of spinal tumors was lymphoma as much as 7.4% of all cases of tumor metastases to the spine. The purpose of writing this final scientific paper for nurses is to analyze the provision of collaborative nursing care in the provision of Non-Steroid Anti-Inflammatory Drugs (NSAID) therapy with a combination of deep breathing relaxation techniques to treat pain, abdominal massage, and drinking warm water as management of constipation, and range of motion exercises. active-passive in bed rest patients. The results of this scientific work show the effectiveness of administering NSAIDs with a combination of deep breathing relaxation techniques in reducing pain scale using the Numeric Rating Scale (NRS). Giving abdominal massage and drinking warm water as management of constipation can stimulate intestinal peristalsis. Active-passive range of motion exercises in patients on bed rest can maintain muscle tone and can be done independently by the patient and the caregiver.