

Penggunaan Sistem Skoring APACHE II sebagai prediktor Komplikasi Pascabedah Reseksi dan Rekonstruksi Tumor Jinak Mandibula : Studi Pendahuluan pada Pasien di RSUPN Cipto Mangunkusumo Periode 2015 - 2020 = APACHE II Scoring System as a Predictor of Complications After Resection and Reconstruction of Benign Mandibular Tumors : Retrospective Study of Patients in Cipto Mangunkusumo National General Hospital 2015 - 2020

Destiana Nur Fithri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20524702&lokasi=lokal>

Abstrak

Latar Belakang:.Pembedahan kepala dan leher merupakan tindakan yang kompleks dan penuh tantangan karena berhubungan dengan pencernaan dan pernapasan. Dengan angka kejadian komplikasi yang cukup tinggi yaitu 17%, dibutuhkan tolok ukur yang dapat memprediksi komplikasi pascabedah terutama di bidang bedah mulut dan maksilofasial. Sistem skoring APACHE II pada penelitian terdahulu terbukti efektif dalam memprediksi kejadian komplikasi pascabedah reseksi dan rekonstruksi mandibula. Tujuan Penelitian: Mengetahui efektivitas sistem skoring APACHE II sebagai prediktor komplikasi pascabedah reseksi dan rekonstruksi tumor jinak mandibula. Metode Penelitian: Studi retrospektif tahun 2015 – 2020 pada subjek yang memenuhi kriteria inklusi. Data diambil dari rekam medis pasien baik tertulis maupun digital. Analisis variabel kategorik dengan Uji Chi Square. Uji Mann-Whitney U untuk perbandingan rerata skor dua kelompok. Efektivitas skor APACHE II dinilai berdasarkan kurva ROC dan luas area dibawah kurva. Hasil: Dari 62 subjek penelitian, sebanyak 6 responden (9.7%) mengalami komplikasi pascabedah. Tidak terdapat perbedaan bermakna antara semua variabel independen yang diuji dengan peningkatan skor APACHE II (nilai $p > 0.05$). Rerata skor pada kelompok komplikasi lebih tinggi (4.83) namun pada Uji Mann-Whitney U nilai $p > 0.05$. Analisis ROC pada studi ini memiliki sensitivitas 50% dan spesifisitas 78.6% dengan nilai cut off point 5.5 dan luas area dibawah kurva ROC sebesar 0.558. Kesimpulan: Sistem skoring APACHE II terbukti efektif dalam memprediksi kejadian komplikasi pascabedah reseksi dan rekonstruksi tumor jinak mandibula.

.....Background: Head and neck surgery is a complex and challenging procedure because it affect the digestion and respiration organ system. With a fairly high incidence of complications, namely 17%, an indicator is needed to predict postoperative complications, especially in the field of oral and maxillofacial surgery. The APACHE II scoring system in a previous study proved to be effective in predicting the incidence of postoperative complications after mandibular resection and reconstruction. Objective: To determine the effectiveness of the APACHE II scoring system as a predictor of postoperative complications of mandibular resection and reconstruction of benign tumors. Methods: Retrospective study on subjects who met the inclusion criteria in the period of 2015 – 2020. The data is collected from the patient's medical record, both written and digital. Categorical variable is being analyze with Chi Square Test. While Mann-Whitney U test analyzing the comparison of the mean scores of the two groups. The effectiveness of the APACHE II score was assessed based on the ROC curve and the area under the curve. Results: Of the 62 research subjects, 6 respondents (9.7%) experienced postoperative complications. There was no significant difference between all tested independent

variables with an increase in the APACHE II score (p value > 0.05). The mean score in the complication group was higher (4.83) but in the Mann-Whitney U test the p value was > 0.05. The ROC analysis in this study has a sensitivity of 50% and a specificity of 78.6% with a cut off point value of 5.5 and an area under the ROC curve of 0.558. Conclusion: The APACHE II scoring system proved to be effective in predicting the incidence of postoperative complications after surgical resection and reconstruction of benign mandibular tumors.