

Studi komparatif produktifitas kerja perawat yang melaksanakan metode penugasan tim fungsional dengan metode penugasan fungsional di RSUD Tabanan dan Gianyar Bali

I Ketut Suardana, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=72048&lokasi=lokal>

Abstrak

Isu ketenagaan menjadi perhatian rumah sakit terutama menyangkut produktifitas dan efisiensi. Permasalahan yang menonjol pada manajemen sumber daya manusia kesehatan di Indonesia (Ilyas, 1999) adalah: stagnasi tenaga kesehatan, distribusi & keahlian yang tidak merata serta menurunnya produktifitas dan kualitas kerja. Dalam dunia manajemen keperawatan salah satu upaya yang digunakan untuk meningkatkan produktifitas kerja adalah dengan menggunakan metode penugasan yang tepat. Metode penugasan adalah suatu pendekatan yang digunakan perawat untuk mengorganisasikan pekerjaan sehingga pelayanan yang komprehensif, holistik dan berkesinambungan dapat tercapai.

Metode penugasan yang saat ini banyak digunakan di Indonesia adalah metode penugasan tim, fungsional, atau metode penugasan tim yang dimodifikasi dengan fungsional. Sampai saat ini belum diketahui metode penugasan mana yang lebih produktif terkait dengan upaya meningkatkan pendapatan asli daerah sejalan dengan digiatkannya status otonomi daerah.

Tujuan penelitian ini adalah untuk mengetahui perbedaan tingkat produktifitas kerja perawat yang menggunakan metode penugasan tim-fungsional dengan metode penugasan fungsional di Rumah Sakit Umum Daerah Gianyar dan Tabanan Bali. Desain penelitian adalah deskriptif analitik model cross sectional yang membandingkan tingkat produktifitas kedua kelompok. Metode yang digunakan adalah work study melalui pengamatan di unit rawat inap anak, kebidanan, bedah dan interna terhadap 102 responden pada penugasan tim-fungsional dan 108 responden pada penugasan fungsional. Jumlah total pengamatan pada setiap kelompok adalah sebanyak 1728 pengamatan. Sampel dipilih secara proporsional dengan metode acak sederhana. Besar sampel dihitung berdasarkan estimasi perbedaan antar populasi.

Pengolahan dan analisa data menggunakan komputer program SPSS versi 10 yang menyajikan data tentang hasil analisa univariat meliputi karakteristik responden, jumlah dan jenis kegiatan serta tingkat produktifitas perawat. Analisa bivariat menggunakan uji t yang menyajikan informasi tentang perbedaan tingkat produktifitas kerja kedua kelompok.

Hasil penelitian menunjukkan bahwa antara kedua kelompok memiliki selisih jumlah kegiatan pengkajian sebesar 0,16 kegiatan, perumusan diagnosa keperawatan 0,266 kegiatan, penyusunan rencana keperawatan 0,23 kegiatan, implementasi 0,41 kegiatan, evaluasi 0,38 kegiatan, kegiatan keperawatan tak langsung 0,24 kegiatan, kegiatan non keperawatan 0,03 kegiatan, kegiatan non produktif yang diperkenankan 0,63 kegiatan dan kegiatan non produktif yang diperkenankan 0,66 kegiatan. Tingkat produktifitas kelompok fungsional adalah sebesar 56,27% dan kelompok tim-fungsional sebesar 67,92%.

Hasil uji beds dua mean variabel yang bersifat independen menunjukkan bahwa perbedaan ditemukan pada perumusan diagnosa, penyusunan rencana keperawatan, evaluasi, kegiatan keperawatan tak langsung, kegiatan non produktif yang diperkenankan dan tingkat produktifitas kerja secara total. Lemahnya pengawasan melalui supervisi dan belum optimalnya kegiatan konferens keperawatan merupakan faktor yang diasumsikan sebagai penyebab belum optimalnya tingkat produktifitas. Ditemukan ada beberapa faktor yang berhubungan dengan produktifitas kerja seperti beban kerja, pendidikan dan usia responder. Penelitian tidak meneliti lebih jauh tentang faktor-faktor yang mempengaruhi produktifitas kerja. Direkomendasikan agar dilakukan supervisi, menggalakkan konferens dan mengintensipkan pelaksanaan proses keperawatan pada program pendidikan berkelanjutan. Disamping itu agar dilakukan penelitian lebih kompleks dengan desain quasi eksperimen dan melihat faktor-faktor yang berhubungan dengan produktifitas kerja.

Comparative Study on Nursing Work Productivity of Team-Functional Nursing Care Delivery with Functional Nursing Care Delivery in General Hospital Region Tabanan and Gianyar Bali

Human resource issues at hospital has been long time concerned of hospital managers, especially their productivity and efficiency. According to Ilyas (1999), human resource management's main problems are the career development, mal distribution of man power and low productivity & quality of working life. Within nursing management, one solution to improve work productivity is to improve adequate nursing care delivery. Nursing care deliveries are approaches that used to organize nurse's job so that it covers a comprehensive, holistic and continuous nursing care.

The nursing care deliveries that have been used widely in Indonesia are team nursing, functional, or modified team-functional. There has been no research on which methode is more productive until now. Furthermore, this type of research is important in relation of to increase hospital revenues as part of local government income. The revenues issue is getting more important in decentralization in Indonesia.

This study has objective to examine differences of nursing work productivity level of team-functional method in comparison to fuctional approach at Regional General Hospitals of Tabanan and Gianyar Province of Bali. The research design is cross sectional with a descriptive analytical approach in comparing the two methodes. In order to measure the work productivity, a work study was used, which were observing 102 nurses with team-functional methode at Regional General Hospital Gianyar and 108 nurses with functional methode at Regional General Hospital Tabanan. A total of 1728 observations was done in each group. Sampling of observation was selected using proportional random sampling. Total observations needed were calculated based on estimated difference between the two groups.

Data management and analysis used computerized software SPSS program version 10, which present univariate ofrespondent characteristics, type and sum of activities of nurse productivity level. Bivariate analysis used t test which present information ababout differential productivity between two groups.

The result of study showed that there are differences between the two groups in activities of 0,16 activity for assesment; formulating nursing diagnosis 0,266 activity; designing nursing care plan 0,24 activity; implementation 0,41 activity; evaluation 0, 38 activity; indirect care 0,24 activity; non nursing activities 0,03 activity; permissible non productive 0,03 and non permissible non productive 0,66 activity. Work productivity level of fuctional method is 56,27% and team-functional method is 67,92%.

Two-tailed independent t test showed statistical differences (at $p < 0,05$) in formulating nursing diagnosis, designing nursing care plan, evaluation, indirect care, permissible non productive activity and total work productivity. From observation at both hospital the differences are related to weak supervision and non existence of periodic nursing conferences. This study also showed that work load, education and age of worker are significantly related to work productivity. It is recommended that hospital should improve supervision, establish periodic nursing conferences and further intensify nursing process in continuing education program. For continuing the study, it is recommended that a quasi experiment approach is used with more variables examined.