

Hubungan faktor determinan pada ibu hamil dengan kedatangan pada kunjungan pertama ke pelayanan antenatal dalam keperawatan maternitas dalam konteks keluarga Jakarta Timur 2003

Deswani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=73412&lokasi=lokal>

Abstrak

Angka Kematian Ibu di Indonesia saat ini adalah 373 per 100.000, per kelahiran hidup. Beberapa penelitian telah membuktikan adanya hubungan yang kompleks antara faktor sosio-demografik, faktor individual, yang mempengaruhi kedekatan pelayanan antenatal akan tetapi hanya sedikit informasi tentang faktor yang berhubungan dengan kedatangan pada kunjungan pertama ke pelayanan antenatal dan penelitian yang telah dilakukan khususnya untuk daerah perkotaan. Faktor yang diperkirakan berhubungan dengan kedatangan pada kunjungan pertama ke pelayanan antenatal baik daerah perkotaan maupun pedesaan adalah: perilaku berisiko, dukungan sosial, dukungan profesional, penerimaan terhadap kehamilan adalah faktor-faktor yang telah dibuktikan berhubungan dengan keterlambatan kedatangan ibu pada kunjungan pertama ke pelayanan antenatal. Sampel penelitian ini adalah 109 ibu hamil di Kelurahan Cipinang Basal- Utara Kecamatan Jatinegara Jakarta Timur.

Semua responden adalah ibu hamil diatas usia 18 tahun yang memanfaatkan pelayanan antenatal di Puskesmas dan Bidan praktek. Penelitian dilaksanakan selama 14 hari yaitu dari tanggal 4 -18 Juli 2003. Keterpatan waktu datang pada kunjungan pertama ke pelayanan antenatal didapatkan adalah 71.9% sedangkan terlambat datang pada kunjungan pertama adalah 22.9%. Tidak ditemukan hubungan yang bermakna secara analisis bivariat dengan uji chi-square. Namun secara multivariat ditemukan ada 3 variabel independen yang ditemukan bermakna dengan kedatangan pada kunjungan pertama ke pelayanan antenatal dengan uji regresi logistik ganda yaitu : pendidikan ibu; penghasilan keluarga dan dukungan sosial dengan $p < 0.05$. Rekomendasi dari hasil penelitian ini adalah dapat menjadi bahan pertimbangan bagi perencanaan program Kesehatan Ibu dan Anak (KIA) di Kelurahan CBU khususnya dan Suku Dinas Kesehatan Jakarta Timur umumnya melalui: meningkatkan kualitas pelayanan antenatal dengan kunjungan rumah yang aktif pengembangan pendidikan kesehatan dan pendidikan berkelanjutan pada petugas profesional: perawat maternitas dan Bidan

Bibliography: 53 (1986 - 2002)

<hr>

Determinants Factors of First Visit among Pregnant Women into Prenatal Care Series a Part of Family Centered Maternity Nursing at Cipinang Besar Utara (CBU) Sub Centres, Jatinegara Sub District East Jakarta 2003 Maternal mortality rate are still high in Indonesia, i.e. 373 per 100.000. live births Research studies have revealed a complex relationship of demographic, social, and personal factors that influence adequate prenatal care. However, relatively little information have been done to study factors related to first visit into prenatal care among pregnant women especially in urban area. Predictive factors to be tested were drawn from recent studies in both rural and urban areas that cited are behaviour risk, psychological risk factor, low acceptance of the pregnancy. has been reported to have no effect on time of visit and to be

associated with early visit to prenatal care series. Social support, professional support, socio-demographic, risk behaviours variables as well as acceptance were tested as determinants factors of late entry into prenatal care in sample of 1 09 women in the CBU sub enters, as a urban area in East Jakarta.

The respondents were all those who pregnant and over age 18 served by midwife practices and community health centre, during 14 days (4-18th July) 2003. On time visit into prenatal care during the first trimester occurred in 22,9% and late visit by accrued 71.9% overall of cases. No statistically significant independent variables in bivariate analyses. However In multivariate logistic regression, family income, mother education, professional support, are were all significant predictors of first visit into prenatal care ($p < 0.005$). This study recommends that district Health office and subdistrict Health Centers derector more services in the attachment by using mobile ANC services. Furthermore, since mother educations, family income are significant factors, it is suggested that health services should be integrated into home economic activities. At last professionalism of maternity nurse and midwives should always improved in relatives to give the ANC service quality.

Bibliography: 53 (1986 - 2002)