

Hubungan Penggunaan Kontrasepsi Hormonal Pasca Salin dengan Kejadian Hipertensi pada Wanita Usia Subur 15-49 Tahun di Indonesia: Analisis Data Riskesdas 2018 = The Association between After the Last Birth Hormonal Contraception and Hypertension in Women of Reproductive Age 15-49 Years in Indonesia: Data Analysis Riskesdas 2018

Syeri Febriyanti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920524861&lokasi=lokal>

Abstrak

Hipertensi masih menjadi masalah kesehatan dunia. Prevalensi hipertensi diprediksi akan terus meningkat hingga tahun 2025 nanti. Di Indonesia, penderita hipertensi didominasi oleh penduduk berjenis kelamin perempuan. Salah satu faktor risiko yang bisa menyebabkan kejadian hipertensi adalah penggunaan kontrasepsi hormonal. Penelitian ini bertujuan untuk mengetahui hubungan penggunaan kontrasepsi hormonal pasca salin dengan kejadian hipertensi pada wanita usia subur. Desain penelitian adalah cross sectional dilakukan pada Januari-Juni 2023 menggunakan data Riskesdas 2018. Kelompok terpajan adalah 45.178 responden yang menggunakan kontrasepsi hormonal dan kelompok tidak terpajan adalah 30.845 responden yang tidak menggunakan kontrasepsi hormonal. Hasil penelitian menunjukkan bahwa terdapat hubungan yang signifikan antara pengguna kontrasepsi hormonal pasca salin dengan kejadian hipertensi setelah mengendalikan umur dan indeks massa tubuh dengan nilai PR=1,10 (1,06– 1,12). Pada penelitian ini juga menilai hubungan antara jenis kontrasepsi hormonal pasca salin diantaranya kontrasepsi suntikan 3 bulan dengan nilai PR=1,08 (CI 95% 1,05-1,12); kontrasepsi suntikan 1 bulan dengan nilai PR 0,99 (CI 95% 0,93-1,05); kontrasepsi implan PR 0,90 (CI 95% 0,84-0,96); dan kontrasepsi pil PR 1,30 (CI 95% 1,23-1,35). Hal ini diharapkan bisa menjadi gambaran bahwa pemilihan kontrasepsi sangatlah penting untuk mencegah hipertensi dikemudian hari.

.....Hypertension is one of diseases caused world health problems. The prevalence of hypertension is predicted will be increase. Hypertension in Indonesia are dominated by the female population. One of the risk factors caused hypertension is the use of hormonal contraception. This study aims to determine the association between the last birth hormonal contraception and the prevalence of hypertension. The research design was cross-sectional from January to June 2023 used the 2018 Riskesdas data. The exposed group was 45,178 respondents who used hormonal contraception and the unexposed group was 30,845 who did not use hormonal contraception. The results showed that there was a significant association between the use of hormonal contraception and the prevalence of hypertension after controlling for age and body mass index with AdjPR 1.10 (95% CI 1.06–1.12). This study also assessed the association between types of hormonal contraception including 3-month injection contraception with AdjPR value of 1.08 (95% CI 1.05-1.12); 1-month injectable contraception with AdjPR value of 0.99 (95% CI 0.93-1.05), implant contraceptive AdjPR 0.90 (95% CI 0.84-0.96), and contraceptive pill AdjPR 1.30 (95% CI 1.23-1.35). This is expected to illustrate the importance of choosing the right contraception to prevent the hypertension.