

Studi Ekologi Beberapa Faktor Yang Berhubungan Dengan Kejadian Demam Berdarah Dengue di Provinsi Bengkulu Tahun 2022 = Ecological Study of Several Factor Associated with in the Incidence of Dengue Hemorrhagic Fever in Bengkulu Province in 2022

Riza Farina Fitri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920525125&lokasi=lokal>

Abstrak

Demam Berdarah Dengue (DBD) adalah penyakit infeksi virus akut yang disebabkan oleh virus dengue, angka kesakitan demam berdarah dengue terus meningkat setiap tahunnya. Tujuan dari penelitian ini adalah untuk mengetahui gambaran epidemiologi kejadian demam berdarah dan untuk mengetahui faktor-faktor yang mempengaruhinya. Variabel yang diukur adalah kepadatan penduduk, curah hujan, suhu udara, kelembaban udara, penyelidikan epidemiologi dan fogging focus. Studi ini merupakan studi ekologi/ studi korelasi untuk melihat kekuatan hubungan antara variabel independen dan dependen. Hasil analisis multivariat menggunakan multiple regresi linear, studi ini menggunakan data sekunder tahun 2022. Hasil analisis multivariat menunjukkan curah hujan merupakan faktor dominan kejadian demam berdarah dengue p value < 0.05 . Terdapat hubungan bermakna kuat dengan arah positif antara curah hujan dengan kejadian demam berdarah dengue. Terdapat hubungan yang rendah dan arah negatif antara kelembaban udara dengan kejadian Demam berdarah dengue. Terdapat korelasi/hubungan yang sedang dan signifikan antara kecepatan angin, penyelidikan epidemiologi dan fogging focus dengan kejadian DBD. Faktor yang dominan berhubungan dengan kejadian demam berdarah dengue antara lain variabel curah hujan dengan p -value=0,000, variabel kepadatan penduduk dengan p -value=0,024, variabel kelembaban udara dengan p -value= 0.004 dan variabel kecepatan angin dengan p value = 0.000.

.....Dengue Hemorrhagic Fever (DHF) is an acute viral infectious disease caused by the dengue virus, the morbidity rate of dengue hemorrhagic fever continues to increase every year. The purpose of this research is to find out the epidemiological picture of dengue fever and to find out the factors that influence it. The variables measured were population density, rainfall, air temperature, air humidity, epidemiological investigations and fogging focus. This study is an ecological study/correlation study to see the strength of the relationship between the independent and dependent variables. The results of multivariate analysis using multiple linear regression, this study uses secondary data in 2022. The results of multivariate analysis show that rainfall is the dominant factor in the incidence of dengue hemorrhagic fever p value <0.05 . There is a significant positive relationship between rainfall and the incidence of dengue hemorrhagic fever. There is a low relationship and a negative direction between air humidity and the incidence of dengue hemorrhagic fever. There is a moderate and significant correlation/relationship between wind speed, epidemiological investigations and fogging focus with the incidence of DHF. The dominant factors associated with the incidence of dengue hemorrhagic fever include rainfall with a p -value = 0.000, population density with a p -value = 0.024, air humidity with a p -value = 0.004 and wind speed with a p -value = 0.000.