

Faktor-Faktor Yang Mempengaruhi Keyakinan Pasien Baru Positif HIV Untuk Memulai Minum Obat ARV Di Masa Pasca Pandemi Covid-19 = Factors Affecting Confidence of New HIV Positive Patients to Start Taking ARV Drugs in the Post-Covid-19 Pandemic Period

Alif Fakhtur Ramadhan, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920527948&lokasi=lokal>

Abstrak

Saat ini Antiretroviral Therapy (ART) merupakan satu-satunya tatalaksana pada pasien HIV yang dilakukan untuk mengendalikan atau menekan replikasi virus di dalam darah. Setelah tes HIV dinyatakan positif, orang dengan HIV harus mendapatkan informasi dan bimbingan yang akurat dan tepat untuk meningkatkan pengetahuan mereka tentang HIV, termasuk pencegahan, dan keyakinan diri untuk memulai ARV. Tujuan penelitian ini adalah mengidentifikasi faktor-faktor yang mempengaruhi keyakinan pasien baru positif HIV untuk memulai minum obat ARV di masa pasca pandemi Covid-19. Penelitian ini menggunakan metode deskriptif analitik dengan desain cross sectional melalui pendekatan survei, dengan menggunakan instrumen berupa kuesioner pada 109 responden. Hasil uji statistik didapatkan bahwa terdapat hubungan yang signifikan antara pengetahuan tentang ARV (p value = 0,000, $= < 0,05$), cemas (p value = 0,000, $= < 0,05$), spiritual (p value = 0,001, $= < 0,05$), dan dukungan keluarga (p value = 0,001, $= < 0,05$) dan ke empat variabel ini memiliki interaksi yang kuat (p value=0,000; $<0,05$) dengan keyakinan pasien baru positif HIV untuk memulai obat ARV. Keyakinan diri memiliki peran penting dalam mengelola situasi secara efektif, memotivasi diri, dan mengontrol emosi sehingga tahu apa yang harus dilakukan, oleh karena itu pengkajian secara komprehensif pada awal diagnosa pasien sangat penting agar tindakan yang dilakukan dapat tepat sasaran.

.....Currently Antiretroviral Therapy (ART) is the only treatment for HIV patients that is carried out to control or suppress viral replication in the blood. After testing positive for HIV, people living with HIV must receive accurate and appropriate information and guidance to increase their knowledge about HIV, including prevention, and the confidence to start ARVs. The purpose of this study was to identify the factors that influence the confidence of new HIV positive patients to start taking ARV drugs in the post-Covid-19 pandemic. This study used a descriptive analytic method with a cross sectional design through a survey approach, using an instrument in the form of a questionnaire on 109 respondents. Statistical test results found that there was a significant relationship between knowledge about ARVs (p value = 0.000, $= <0.05$), anxiety (p value = 0.000, $= <0.05$), spiritual (p value = 0.001, $= <0.05$), and family support (p value = 0.001, $= <0.05$) and these four variables have a strong interaction (p value = 0.000; <0.05) with new HIV positive patients' beliefs about starting ARV drugs. Self-confidence has an important role in managing situations effectively, motivating yourself, and controlling emotions so you know what to do, therefore a comprehensive assessment at the initial diagnosis of a patient is very important so that the actions taken can be right on target.