

Faktor Risiko yang Berhubungan dengan Kematian COVID-19 di Rumah Sakit Dr. Moewardi Kota Surakarta = Risk Factors Associated with COVID-19 Deaths in Dr. Moewardi General Hospital Surakarta

Dinda Monica Istiqomah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920533799&lokasi=lokal>

Abstrak

Skripsi ini membahas mengenai penyakit menular yang menjadi pandemi baru di dunia yaitu COVID-19. COVID-19 menimbulkan banyak kematian di berbagai negara, salah satunya Indonesia. Provinsi Jawa Tengah seringkali menduduki peringkat 3 besar dengan kasus paling banyak perharinya. Salah satu rumah sakit rujukan COVID-19 di Jawa Tengah yaitu Rumah Sakit Umum Daerah Dr. Moewardi Kota Surakarta. Penelitian ini bertujuan untuk mengetahui faktor risiko yang berhubungan dengan kematian Covid-19 di Rumah Sakit Umum Daerah Dr. Moewardi Kota Surakarta tahun 2020. Penelitian ini menggunakan desain studi kuantitatif yaitu studi cross-sectional dengan analisis univariat dan bivariat. Penelitian ini menggunakan data rekam medis pasien dengan populasi seluruh pasien terkonfirmasi COVID-19 di RSUD Dr. Moewardi Kota Surakarta pada tahun 2020. Hasil penelitian menunjukkan bahwa adanya hubungan yang signifikan antara kematian COVID-19 dengan jenis kelamin, usia, komorbiditas, d-dimer, dan c-reactive protein dengan nilai $p < 0,05$. Laki-laki memiliki risiko lebih tinggi dibanding perempuan (PR 2,856 dengan 95% CI : 1,659-4,917). Pasien lansia (60 tahun) memiliki risiko yang lebih tinggi daripada pasien yang lebih muda (PR 2,554 dengan 95% CI : 1,754-3,719). Pasien yang memiliki komorbiditas memiliki risiko yang lebih tinggi (PR 3,872 dengan 95% CI : 1,938-7,734). Pasien dengan d-dimer 500 memiliki risiko yang lebih tinggi (PR 3,767 dengan 95% CI : 1,505-9,427). Pasien dengan CRP 8,9 memiliki risiko lebih besar (PR 2,780 dengan 95% CI : 1,780-4,434)

.....This study discusses about infectious disease that has become a new pandemic in the world, namely COVID-19. COVID-19 has caused many deaths in various countries, one of which is Indonesia. Central Java Province is often ranked in the top 3 with the most cases per day. One of the COVID-19 hospitals in Central Java is Dr. Moewardi General Hospital, Surakarta. The propose this study is to determine the risk factors associated with COVID-19 deaths at the Dr. Moewardi General Hospital, Surakarta in 2020. This study used quantitative study design, cross-sectional study with univariate and bivariate analysis. This study used patient medical record data, the population is patients with confirmed COVID-19 at Dr. Moewardi General Hospital in 2020. The result of this study showed that there was a significant association between COVID-19 mortality and gender, age, comorbidity, d-dimer, and c-reactive protein with p -value $< 0,005$. Men had higher risk than women (PR 2,856 with 95% CI 1,659-4,917). Elderly patients ((60 years) had higher risk than younger patients (PR 2,554 with 95% CI : 1,754-3,719). Patients with comorbidity had higher risk (PR 3,872 with 95% CI 1,938-7,734). Patients with d-dimer 500 had higher risk (PR 3,767 with 95% CI 1,505-9,427). Patients with CRP 8,9 had greater risk (PR 2,780 with 95% CI 1,780-4,344)