

The Impact of Mental Health Promotion Towards Generalized Anxiety Disorder (GAD-7) Score Among Third Year Medical Students in Faculty of Medicine Universitas Indonesia = Dampak Promosi Kesehatan Jiwa Terhadap Skor Generalized Anxiety Disorder (GAD-7) Pada Mahasiswa Kedokteran Tahun Ketiga Fakultas Kedokteran Universitas Indonesia

Rizqa Agustin Ananda Putri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920538326&lokasi=lokal>

Abstrak

Introduction: Anxiety disorders are identified in 41.6% of students globally, with medical students being more susceptible than non-medical students (33.8%). In Indonesia, clinical students or referred as co-assistant, had higher anxiety levels than preclinical students. Therefore, right intervention is needed to reduce anxiety symptoms in third-year medical students before clinical rotations. This study is performed to identify the impact of conducting a web-based mental health promotion seminar to reduce anxiety symptoms among third-year FMUI students. **Methods:** This is a Quasiexperimental study with secondary data from a total of 132 third-year FMUI students, 66 students split evenly between the intervention and control groups. They must complete the GAD-7 pre- and post- test questionnaires on Day 1 and 14 to determine their coping mechanism style. The intervention group will get a one-time web-based seminar from Psychiatry Department FMUI-RSCM experts, whereas the control group will not. **Results:** The prevalence of anxiety in third-year FMUI students is 46.9%, mostly categorized as mild (28.7%). The intervention group's GAD-7 mean score improved ($p=0.033$), while the control group's deteriorated ($p=0.288$). **Conclusion:** High prevalence of anxiety is found in third-year FMUI students and web-based mental health promotion seminar can reduce anxiety symptoms in intervention group.

.....**Latar Belakang:** Gangguan kecemasan diidentifikasi pada 41.6% mahasiswa secara global, dengan mahasiswa kedokteran lebih rentan dibandingkan mahasiswa nonkedokteran (33.8%). Di Indonesia, mahasiswa klinik atau disebut ko-asisten memiliki tingkat kecemasan yang lebih tinggi dibandingkan mahasiswa prelinik. Oleh karena itu, diperlukan intervensi yang tepat untuk mengurangi gejala kecemasan pada mahasiswa kedokteran tahun ketiga sebelum melakukan rotasi klinik. Penelitian ini dilakukan untuk mengidentifikasi dampak penyelenggaraan seminar promosi kesehatan jiwa berbasis terhadap penurunan gejala kecemasan pada mahasiswa tahun ketiga FKUI. **Metode:** Penelitian ini merupakan penelitian eksperimental kuasi dengan data sekunder dari total 132 mahasiswa tahun ketiga FKUI, 66 mahasiswa terbagi rata antara kelompok intervensi dan kontrol. Mereka harus mengisi kuesioner pra dan pasca test GAD-7 pada hari ke-1 dan ke-14 untuk menentukan gaya mekanisme koping. Kelompok intervensi akan mendapatkan satu kali seminar berbasis web dari ahli Psikiatri FKUI-RSCM, sedangkan kelompok kontrol tidak. **Hasil:** Prevalensi kecemasan pada mahasiswa tahun ketiga FKUI adalah 46.9%, sebagian besar dikategorikan ringan (28.7%). Terdapat perbaikan rerata skor GAD-7 secara keseluruhan pada kelompok intervensi ($p=0.033$), sedangkan kelompok kontrol menunjukkan perburukan ($p=0.288$). **Kesimpulan:** Studi ini menunjukkan prevalensi gangguan kecemasan yang relatif tinggi pada mahasiswa tingkat tiga FKUI dengan kelompok intervensi menunjukkan perbaikan skor GAD-7 setelah seminar promosi kesehatan mental berbasis web.