

Perbedaan antara Persepsi Diri dan Penilaian Dokter Gigi terhadap Susunan Gigi Anterior Anak 9-12 Tahun (Kajian di SDN 01 Pademangan Barat Pagi di Jakarta) = Differences between Self-Perception and Dentist Assessment of Anterior Teeth Alignment in Children Aged 9-12 Years (Study at SDN 01 Pademangan Barat Pagi in Jakarta)

Delfiana Marshella, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920538333&lokasi=lokal>

Abstrak

Latar Belakang: Susunan gigi anterior merupakan salah satu komponen estetika wajah yang berdampak terhadap persepsi diri anak serta mendorong anak dan orang tua untuk memeriksakan keadaan gigi mulut anak ke dokter gigi. Variasi susunan gigi anterior anak selama periode gigi bercampur, seperti adanya gigi berjejal, gigitan terbuka, posisi gigi yang miring atau rotasi, serta gigi yang cenderung terlihat maju yang dapat terkoreksi dengan sendirinya maupun yang memerlukan perawatan dini setelah penilaian oleh dokter gigi. **Tujuan Penelitian:** Menganalisis perbedaan antara persepsi diri dan dokter gigi terhadap susunan gigi anterior anak 9-12 tahun di SDN 01 Pademangan Barat Pagi **Metode Penelitian:** Penelitian ini merupakan studi potong lintang di SDN 01 Pademangan Barat Pagi di Jakarta, bulan Desember 2023 menggunakan instrumen kuesioner yang dilengkapi oleh foto intraoral susunan gigi depan anak saat oklusi dari arah sagital, transversal, dan vertikal dalam 5 posisi. Kuesioner persepsi diri anak yang diisi oleh subjek penelitian dan kuesioner penilaian dokter gigi merupakan instrumen yang sama untuk menilai keadaan gigitan dalam, gigitan terbuka, gigi berjejal, gigi berjarak, gigi protruksif, gigitan silang, serta gigi rapi dan sejajar. Uji validasi dan reliabilitas dilakukan sebelum kuesioner digunakan dalam penelitian. Data dianalisis untuk menguji secara statistik perbedaan antara persepsi diri dan penilaian dokter gigi terhadap susunan gigi anterior anak usia 9-12 tahun **Hasil:** Subjek penelitian ini sejumlah 97 anak dan melibatkan penilaian dari 5 dokter gigi. Persepsi diri dan dokter gigi berbeda bermakna terhadap keadaan gigitan dalam, gigi berjejal di rahang atas, gigi berjarak di rahang atas, dan gigi rahang atas protruksif pada anak (uji Chi-Square, nilai $p<0,05$). **Kesimpulan:** Persepsi diri dengan penilaian dokter terhadap susunan gigi anterior anak usia 9-12 tahun pada penelitian ini menunjukkan perbedaan yang bermakna, terutama pada keadaan gigi depan rahang atas.

.....**Background:** The anterior teeth alignment is one of the components of facial aesthetics that has an impact on children's self-perception and may encourages children and their parents to check their oral and dental condition by a dentist. Variations in the alignment of children's anterior teeth occur during the mixed dentition period, such as crowding, open bite, tilted or rotated tooth, and protrusive teeth which can be corrected on their own or require early treatment after dentist assessment. **Objectives:** To analyze differences between self-perception and dentist assessment of anterior teeth alignment in children aged 9--12 years at SDN 01 Pademangan Barat Pagi in Jakarta. **Methods:** This study was a cross-sectional study at SDN 01 Pademangan Barat Pagi in Jakarta, December 2023 using a questionnaire that completed with children's intraoral photos during occlusion from the sagittal, transverse and vertical dimensions in 5 positions. The children's self-perception questionnaire and dentist assessment questionnaire were identical to assess the condition of deep bite, open bite, crowding, spacing, protrusive teeth, anterior cross bite and well-aligned

teeth in subjects recruited for this study. Validity and reliability tests were carried out before the questionnaire was used in the research. Data were analysed to statistically test the differences between self-perception and dentist assessment of anterior teeth alignment in children aged 9-12 years. Results: There were 97 children and 5 dentist involved in this study. Self-perception and dentist assessment were significantly different regarding the condition of deep bite, maxillary crowding, maxillary spacing and protrusive teeth in children (Chi-Square Test, p value <0,05). Conclusion: Self-perception and dentist assessment of anterior teeth alignment in children aged 9-12 years in this study showed significant differences, especially in the condition of the maxillary anterior teeth.