

Edukasi Pentingnya Tablet Tambah Darah pada Ibu Hamil dan Suplementasi Zat Besi pada Balita melalui Penyuluhan Kesehatan di Poli KIA Puskesmas Kecamatan Pasar Rebo = Education the Importance of Blood Supplement Tablets for Pregnant Women and Iron Supplementation for Toddlers through Health Counseling at the KIA Polyclinic at Pasar Rebo District Health Center

Luthfiyah Amirah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920543386&lokasi=lokal>

Abstrak

Berdasarkan Hasil Riset Kesehatan Dasar (2018) menunjukkan bahwa persentase anemia pada ibu hamil di Indonesia sebesar 48.9%. Hal ini dikarenakan dalam tubuh ibu hamil terjadi peningkatan volume darah dan peningkatan kebutuhan eritrosit untuk mendukung pertumbuhan janin, pembentukan plasenta dan payudara. Oleh karena itu, diperlukan Tablet Tambah Darah (TTD) untuk mencegah dan menganggulangi anemia gizi besi. Pada laporan tugas khusus ini ditujukan untuk mengetahui dan menilai peningkatan pengetahuan ibu mengenai anemia dan tablet tambah darah melalui kuesioner pre-test dan post-test. Metode pelaksanaan dalam penelitian ini yaitu penyuluhan melalui penyuluhan kesehatan secara tatap muka di depan Poli KIA Puskesmas Kecamatan Pasar Rebo. Berdasarkan dari hasil pengisian 79 kuesioner post-test yang telah dibagikan, sebanyak 55 responden (69.6%) mengalami peningkatan pengetahuan (84.14% menjadi 89.73%) setelah dilakukan pemberian edukasi mengenai pentingnya tablet tambah darah pada ibu hamil dan suplementasi besi pada balita ($p<0.05$). Perlu dilakukannya kegiatan penyuluhan kesehatan yang rutin diadakan pada setiap puskesmas untuk memastikan bahwasanya pasien terutama pada ibu hamil memahami terkait pengobatan yang didapatkan dalam hal ini pentingnya mengkonsumsi tablet tambah darah sedini mungkin secara teratur serta diperlukan adanya suplementasi zat besi pada balita agar dapat mencegah terganggunya tumbuh kembang anak.

.....

Based on the results of Basic Health Research (2018), it shows that the percentage of anemia in pregnant women in Indonesia is 48.9%. This is because in the body of pregnant women there is an increase in blood volume and an increase in the need for erythrocytes to support fetal growth, placenta and breast formation. Therefore, Blood Supplement Tablets (TTD) are needed to prevent and treat iron deficiency anemia. This special assignment report is aimed at finding out and assessing the increase in maternal knowledge regarding anemia and blood supplement tablets through pre-test and post-test questionnaires. The implementation method in this research is counseling through face-to-face health education in front of the KIA Polyclinic at the Pasar Rebo District Health Center. Based on the results of filling out 79 post-test questionnaires that were distributed, 55 respondents (69.6%) experienced an increase in knowledge (84.14% to 89.73%) after providing education regarding the importance of blood supplementation tablets for pregnant women and iron supplementation for toddlers ($p<0.05$). It is necessary to carry out regular health education activities at each community health center to ensure that patients, especially pregnant women, understand the treatment they are getting, in this case the importance of consuming blood supplement tablets as early as possible on a regular basis and the need for iron supplementation for toddlers to prevent disruption of children's growth and development.