

Pemantauan Terapi Obat pada Pasien Non-ST Segment Elevation Myocardial Infraction (NSTEMI) dan Congestive Heart Failure (CHF) di RSUP Persahabatan = Monitoring Drug Therapy in Patients with Non-ST Segment Elevation Myocardial Infarction (NSTEMI) and Congestive Heart Failure (CHF) at Persahabatan Hospital

Hasyatillah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920543685&lokasi=lokal>

Abstrak

Praktik kerja profesi apoteker di RSUP Persahabatan bertujuan untuk mengevaluasi masalah terkait obat/drug related problem (DRP) pada pasien NSTEMI, CHF karena CAD di ruang rawat inap RSUP Persahabatan dengan menggunakan metode Cipolle. Serta memberikan rekomendasi terkait DRP yang ditemukan pada pasien dan monitoring hasil rekomendasi DRP tersebut. Metode pelaksanaan yang digunakan dalam laporan ini adalah studi prospektif melalui lembar instruksi harian pasien (buku list terapi pasien), catatan rekam medik pasien, terapi farmakologi dan catatan SOAP pasien pada sistem rumah sakit (SIMRS PRIMA). Drug Related Problem (DRP) yang ditemukan pada pemantauan terapi obat ini adalah interaksi obat yang terjadi (bisoprolol dan ISDN) dan interaksi obat yang tidak terjadi (fondaparinux dan miniaspi) juga ada indikasi tanpa obat (pasien hipotermia belum mendapatkan terapi). Rekomendasi yang dilakukan pada DRP interaksi obat yang terjadi adalah penghentian penggunaan salah satu atau kedua obat. Sedangkan pada interaksi obat yang tidak terjadi hanya dilakukan monitoring gejala klinis, kadar natrium dan tekanan darah pasien. Pada DRP ada indikasi tanpa obat disarankan penambahan terapi NaCl kapsul dan monitoring kadar natrium.

.....

The professional pharmacist practice at Persahabatan Hospital aims to evaluate drug-related problems (DRPs) in NSTEMI and CHF patients due to CAD in the inpatient ward using the Cipolle method. It also involves providing recommendations regarding identified DRPs in patients and monitoring the outcomes of these recommendations. The implementation method used in this report is prospective study through patient daily instruction sheets (patient therapy list book), patient medical records, pharmacological therapy, and SOAP notes in the hospital's information system (SIMRS PRIMA). Drug-related problems identified during drug therapy monitoring include drug interactions (bisoprolol and ISDN), potential drug interactions (fondaparinux and aspirin), and indication without medication (hypothermia patient without therapy). Recommendations made for the drug interaction that occurred involve discontinuation of one or both drugs. For the potential drug interaction, clinical symptom monitoring, sodium levels, and blood pressure of the patient were recommended. Regarding the indication without medication DRP, the recommendation includes adding NaCl capsules therapy and monitoring sodium levels.