

Analisa Determinan Supply Side terhadap Disparitas Pemanfaatan Layanan Tingkat Pratama Program Jaminan Kesehatan di Indonesia = Analysis of Supply Side Determinants of Disparities in Utilization of Primary Level Services for the Health Insurance Program in Indonesia

Arthur Andreas Alfonso, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920545898&lokasi=lokal>

Abstrak

Indonesia telah menjadi pelopor dalam pengelolaan program jaminan kesehatan sosial (JKN) terbesar di dunia. Program ini diinisiasi sejak tahun 2011 berdasarkan Undang-Undang No 40 tahun 2004 tentang Sistem Jaminan Sosial Nasional dengan pencapaian kepesertaan JKN sebesar 96% terhadap jumlah penduduk pada Desember 2023. Cakupan kesehatan semesta sebagai salah satu upaya dalam program JKN tidak hanya berkaitan dengan kepesertaan, tetapi juga mencakup manfaat yang diterima serta mekanisme pembiayaannya. Ekuitas sebagai salah satu asas dalam memenuhi persyaratan Universal Health Coverage (UHC) masih menjadi masalah dalam pelaksanaan program JKN ini, hal ini terlihat dari data grafik yang dianalisa oleh Ascobat Gani pada tahun 2019 bahwa masih terjadi disparitas yang sangat signifikan antara wilayah propinsi di Indonesia. Tujuan dari penelitian ini untuk melakukan analisis terhadap faktor dari sisi penyedia atau supply side yang mempengaruhi terjadinya disparitas pemanfaatan layanan kesehatan pada fasilitas kesehatan tingkat pertama program JKN. Penelitian ini menggunakan data sekunder BPJS Kesehatan, dan data publikasi dari Kementerian Keuangan dan Kemntrian Dalam Negeri serta Badan Pusat Statistik. Data dianalisis secara univariat, bivariat, dan multivariat dengan menggunakan metode regresi linier berganda. Secara statistik, pemanfaatan layanan kesehatan ditingkat pertama dipengaruhi sebesar 30% oleh kondisi geografis melalui alat ukur status keterpencilan Desa melalui variabel Skor Indeks Desa Membangun (IDM), dan kondisi sosioekonomi melalui alat ukur kapasitas fiskal dan persentase Pendapatan Asli Daerah (PAD) terhadap APBD kabupaten dan kota. Skor IDM dan Persentase PAD terhadap APBD secara signifikan berpengaruh positif sedangkan rasio kapasitas fiskal daerah secara signifikan berpengaruh negatif dengan nilai signifikansi $P < 0,05$ terhadap kontak rate kunjungan rawat jalan tingkat pertama.

.....Indonesia has become a pioneer in managing the largest social health insurance (JKN) program in the world. This program was initiated in 2011 based on Law No. 40 of 2004 concerning the National Social Security System with the achievement of JKN membership of 96% of the total population in December 2023. Universal health coverage as one of the efforts in the JKN program is not only related to membership, but also includes the benefits received and the financing mechanism. Equity as one of the principles in fulfilling Universal Health Coverage (UHC) requirements is still a problem in the implementation of the JKN program. This can be seen from graphic data analyzed by Ascobat Gani in 2019 that there are still very significant disparities between provincial regions in Indonesia. The aim of this research is to conduct an analysis of factors from the provider side or supply side that influence disparities in health service utilization in first level health facilities of the JKN program. This research uses secondary data from BPJS Kesehatan, and published data from the Ministry of Finance and Ministry of Home Affairs as well as the Central Statistics Agency. Data were analyzed univariately, bivariately and multivariately using multiple linear regression methods. Statistically, the utilization of health services at the first level is influenced by 30% by geographical conditions through measuring village remoteness status through the Village Development

Index Score (IDM) variable, and socio-economic conditions through measuring fiscal capacity and the percentage of Regional Original Income (PAD) to the district APBD and city. The IDM score and the percentage of PAD to APBD have a significant positive effect, while the regional fiscal capacity ratio has a significant negative effect with a significance value of $P < 0.05$ on the contact rate of first level outpatient visits.