

Peran Resiliensi terhadap Burnout pada Perawat di Rumah Sakit X Kelas A Jakarta = The Role of Resilience Towards Burnout Among Nurses in Class A of Hospital X in Jakarta

Maharani Dhien Santoso, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920546478&lokasi=lokal>

Abstrak

Burnout menjadi masalah yang persisten dan memprihatinkan bagi tenaga keperawatan akibat beban kerja dan tuntutan yang besar. Terdapat sejumlah faktor yang berperan terhadap burnout, salah satunya adalah resiliensi. Penelitian ini bertujuan untuk melihat peran resiliensi terhadap burnout pada perawat. Penelitian ini merupakan penelitian kuantitatif dengan desain cross-sectional. Partisipan dalam penelitian ini adalah 126 perawat dengan rentang usia 22–53 tahun ($M = 33.7$; $SD = 7.50$) dengan minimal lama bekerja 1 tahun. Variabel resiliensi pada penelitian ini diukur menggunakan Connor–Davidson Resilience Scale (CD-RISC-10) dan variabel burnout diukur menggunakan Oldenburg Burnout Inventory (OLBI). Pengambilan data penelitian dilakukan menggunakan kuesioner dan disebarikan pada rumah sakit yang telah menyetujui untuk dijadikan tempat pengambilan data. Hasil penelitian ini menunjukkan bahwa resiliensi mampu memprediksi dan menjelaskan 14.1% varians pada burnout dalam konteks perawat. Oleh karenanya, pihak rumah sakit dapat merancang berbagai metode atau strategi-strategi khusus agar dapat mendorong terbentuknya resiliensi yang tinggi pada perawat.

.....Burnout has become a persistent and concerning issue for nursing staff due to heavy workloads and high demands. However, there are factors that play a role in burnout, one of which is resilience. This study aims to examine the role of resilience in burnout among nurses. It is a quantitative study with a cross-sectional design. The participants in this study were 126 nurses from 22–53 years old ($M = 33.7$; $SD = 7.50$) with a minimum work experience of one year. Resilience was measured using the Connor–Davidson Resilience Scale (CD-RISC-10) and burnout was measured using the Oldenburg Burnout Inventory (OLBI). Data collection was conducted using questionnaires distributed in hospitals that had agreed to participate. The data from 126 participants were then analyzed using simple linear regression analysis. The results of this study indicate that resilience can predict and explain 14.1% of the variance in burnout among nurses.

Therefore, hospitals can design various methods or specific strategies to foster high resilience among nurses.