

Pengembangan Instrumen Skrining Politrauma UI – Cipto Mangunkusumo (SPIC) untuk Ketepatan Aktivasi dan Efektivitas ELLASI terhadap Waktu Respons, Kondisi Perburukan, dan Status Metabolik Pasien Politrauma = The development of instrument Skrining Politrauma UI – Cipto Mangunkusumo (SPIC) for code trauma activation and effectiveness of ELLASI towards response time, deterioration, and metabolic status of polytrauma patients

Siti Nurlaelah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920550657&lokasi=lokal>

Abstrak

Ketepatan aktivasi kode trauma dan tindakan keperawatan emergensi yang terstruktur merupakan salah satu faktor dalam keberhasilan penanganan pasien politrauma. Penanganan pasien politrauma yang segera dan terstruktur dapat menurunkan risiko perburukan kondisi pasien, menurunkan angka kecacatan dan menyelamatkan nyawa pasien. Ketidaktepatan penapisan pasien politrauma di triage disebabkan karena belum adanya instrumen penapisan dengan indikator yang sensitif dan spesifik. Selain itu, kompleksitas kondisi pasien politrauma menuntut adanya penanganan yang cepat, tepat, komprehensif, dan terstruktur. Oleh karena itu, penelitian ini bertujuan untuk mengembangkan instrumen skrining politrauma di triage yang sensitif dan spesifik serta melakukan restrukturisasi intervensi keperawatan emergensi untuk pasien trauma yang disebut ELLASI. Penelitian ini menggunakan metode sequential exploratory mixed method yang meliputi 3 tahap. Tahap I: pengembangan instrumen Skrining Politrauma Universitas Indonesia – Cipto Mangunkusumo (SPIC) melalui literature review, studi kualitatif, diskusi pakar (panel expert), dan studi kuantitatif (pembuatan model skoring). Tahap II: uji nilai diagnostik instrumen SPIC dalam menapis politrauma dengan uji formulasi model skoring. Tahap III: uji efektivitas kombinasi instrumen SPIC+ELLASI dibandingkan SPIC+non ELLASI menggunakan randomized control trial (RCT) single blind. Penelitian ini menghasilkan instrumen SPIC yang sensitif (91%) dan telah mendapatkan HKI. Kombinasi instrumen SPIC dan ELLASI terbukti lebih efektif dalam meningkatkan waktu respons ($p = 0,000$), mencegah kondisi perburukan pasien (skor EWS $p = 0,000$), dan menjaga status metabolik pasien (pH $p = 0,04$; HCO_3 $p = 0,03$) dibandingkan dengan kombinasi instrumen SPIC dan non ELLASI. SPIC dapat digunakan sebagai instrumen penapisan pasien politrauma di triage. Kombinasi SPIC dan ELLASI dapat meningkatkan luaran pasien.

.....Code trauma activation and emergency nursing intervention are factors affecting the success of polytrauma patient management. These factors can help prevent deterioration and death. There is no instrument to screen polytrauma patients in triage. The complexity of polytrauma patients' condition requires fast, correct, comprehensive and structured intervention. This study aims to develop a polytrauma screening instrument and standardized emergency nursing intervention called ELLASI. This study used a sequential exploratory mixed method, which consisted of 3 phases. Phase 1: To develop an instrument of Skrining Politrauma Universitas Indonesia – Cipto Mangunkusumo (SPIC) by using literature review, qualitative study, panel expert, and quantitative. Phase 2: To test the diagnostic value of SPIC to screen polytrauma patients. Phase 3: To examine the effectiveness of SPIC and ELLASI in preventing deterioration, increasing response time, and maintaining the metabolic status of polytrauma patients using

randomized control trials (RCT) single blind. This study produced SPIC with high sensitivity (91%). SPIC and ELLASI are effective in increasing response time ($p = 0,000$), preventing deterioration (EWS score $p = 0,000$), and maintaining metabolic status (pH $p = 0,04$; HCO_3 $p = 0,03$) of polytrauma patients compare to SPIC and non ELLASI. SPIC can be used as a screening tool for polytrauma patients in Triage. SPIC and ELLASI can increase patients outcome.