

Hubungan Antara Dukungan Sosial Terhadap Kesejahteraan Psikologis pada Perawat Critical Care di Rumah Sakit di Kota Bogor = Correlation Social Support Between Psychological Well Being of Critical Care Nurses in Hospitals at Bogor City

Selvin Pamalla Mangiwa, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920550944&lokasi=lokal>

Abstrak

Penelitian ini bertujuan untuk mengeksplorasi hubungan antara dukungan sosial dan kesejahteraan psikologis pada perawat Critical Care di Rumah Sakit di Kota Bogor pada tahun 2024. Metodologi menggunakan pendekatan cross-sectional survey yang melibatkan 132 perawat yang bekerja di ruang Critical Care di Rumah Sakit di Kota Bogor yang memiliki kompetensi dan lisensi pelatihan khusus dalam memantau hemodinamik pasien kritis, pemberian therapi dan asuhan keperawatan kritis secara berkelanjutan. Responden dipilih dengan menggunakan metode total sampling. Data dikumpulkan melalui kuesioner yang telah divalidasi dan diuji peneliti sebelumnya. Penelitian ini menggunakan Multidimensional Scale of Perceived Social Support (MPSS) dan Perceived Organizational Support (POS) yang dimodifikasi mengikuti teori aspek dukungan sosial Sarafino untuk dukungan sosial dan Ryff Psychological Well-being scale (RPWBS) untuk kesejahteraan psikologis. Data dianalisis menggunakan IBM SPSS versi 23. Hasil penelitian menunjukkan terdapat hubungan yang signifikan antara dukungan sosial dan kesejahteraan psikologis perawat critical care, dengan nilai p-value <0,05 melalui uji Chi-Square dan korelasi positif . Hal ini mengindikasikan bahwa semakin tinggi tingkat dukungan sosial maka semakin tinggi juga kesejahteraan psikologis, dan sebaliknya. Temuan ini mengungkapkan bahwa dukungan sosial memberikan pengaruh besar terhadap kesejahteraan psikologis dan kesejahteraan psikologis menjadi salah satu hal yang penting yang dapat menyumbang prevalensi masalah psikososial.

.....This research want to exploration correlation social support between psychological well-being of Critical Care nurses in Hospitals at Bogor City on 2024. The methodology use is cross-sectional survey approach involving 132 nurses who work in Critical Care area in Hospitals at Bogor City. Nurses in critical care area must be haved competency and special training license in monitoring hemodynamics of critical patients, providing therapy and critical nursing care on an ongoing basis. Respondents were selected using the total sampling method. Data was collected through questionnaires that have been validated and reliabilited. This research using modification instrument Multidimensional Scale of Perceived Social Support (MPSS) and Perceived Organizational Support (POS) which were modified following Sarafino's social support aspect theory for social support and Ryff Psychological Well-being scale (RPWBS) for psychological well-being . Data were analyzed using IBM SPSS version 23. The results showed that there was a significant correlation between social support and the psychological well-being of critical care nurses, with p-value <0.05 using the Chi-Square test. This indicates that the higher level of higher social support can make psychological well-being and vice versa. These findings reveal that social support has a major influence on psychological well-being and psychological well-being is one of the important things that can contribute to the prevalence of psychosocial problems.