

Hubungan persalinan caesar dengan pemberian ASI eksklusif di Indonesia berdasarkan data Survei Kesehatan Indonesia (SKI) 2023 = Relationship between cesarean delivery and exclusive breastfeeding in Indonesia based on Indonesian Health Survey (IHS) 2023

Nawaliah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=9999920572368&lokasi=lokal>

Abstrak

Peningkatan tren persalinan caesar menimbulkan kekhawatiran akan dampaknya terhadap praktik menyusui, khususnya pemberian ASI eksklusif. Penelitian ini bertujuan untuk mengetahui hubungan antara persalinan caesar dengan pemberian ASI eksklusif di Indonesia berdasarkan data SKI 2023. Penelitian ini menggunakan desain cross-sectional. Prevalensi ibu yang memberikan ASI eksklusif adalah 24.7% dan prevalensi ibu yang melahirkan melalui persalinan caesar adalah 30.2%. Adanya hubungan signifikan antara persalinan caesar dan pemberian ASI eksklusif ($p < 0.001$), ibu yang melahirkan secara normal memiliki peluang 1.579 kali lebih besar untuk memberikan ASI eksklusif (CI 95%: 1.196-2.083). Persalinan caesar yang cukup tinggi berkontribusi terhadap rendahnya cakupan ASI eksklusif. Selain itu, tingkat pendidikan ibu, tempat tinggal, status ekonomi, keinginan kehamilan, tempat persalinan, praktik IMD dan pemberian prelakteal juga menunjukkan hubungan signifikan terhadap keberhasilan pemberian ASI eksklusif.

.....The increasing trend of cesarean deliveries raises concerns about its impact on breastfeeding practices, particularly exclusive breastfeeding. This study aims to determine the relationship between cesarean delivery and exclusive breastfeeding in Indonesia based on 2023 SKI data. This study uses a cross-sectional design. The prevalence of mothers practicing exclusive breastfeeding is 24.7%, and the prevalence of mothers giving birth via cesarean section is 30.2%. There is a significant association between cesarean delivery and exclusive breastfeeding ($p < 0.001$), with mothers who gave birth vaginally being 1.579 times more likely to practice exclusive breastfeeding (95% CI: 1.196-2.083). The relatively high rate of cesarean section contributes to the low coverage of exclusive breastfeeding. Additionally, the mother's educational level, place of residence, economic status, desire for pregnancy, place of delivery, practice of immediate skin-to-skin contact (IMD), and pre-lactation feeding also show significant associations with the success of exclusive breastfeeding.